

<<table>>
orders
<<not null>> <<PK>>-orders_id : int"(11)"
<<not null>>-customers_id : int"(11)"
<<not null>>-customers_name : varchar"(64)"
-customers_company : varchar"(32)" = NULL
<<not null>>-customers_street_address : varchar...
-customers_suburb : varchar"(32)" = NULL
<<not null>>-customers_city : varchar"(32)"
<<not null>>-customers_postcode : varchar"(10)"
-customers_state : varchar"(32)" = NULL
<<not null>>-customers_country : varchar"(32)"
<<not null>>-customers_telephone : varchar"(32)"
<<not null>>-customers_email_address : varchar...
<<not null>>-customers_address_format_id : int"(...
<<not null>>-delivery_name : varchar"(64)"
-delivery_company : varchar"(32)" = NULL
<<not null>>-delivery_street_address : varchar"(6...
-delivery_suburb : varchar"(32)" = NULL
<<not null>>-delivery_city : varchar"(32)"
<<not null>>-delivery_postcode : varchar"(10)"
-delivery_state : varchar"(32)" = NULL
<<not null>>-delivery_country : varchar"(32)"
<<not null>>-delivery_address_format_id : int"(5)"
<<not null>>-billing_name : varchar"(64)"
-billing_company : varchar"(32)" = NULL
<<not null>>-billing_street_address : varchar"(64)"
-billing_suburb : varchar"(32)" = NULL
<<not null>>-billing_city : varchar"(32)"
<<not null>>-billing_postcode : varchar"(10)"
-billing_state : varchar"(32)" = NULL
<<not null>>-billing_country : varchar"(32)"
<<not null>>-billing_address_format_id : int"(5)"
<<not null>>-payment_method : varchar"(255)"
-cc_type : varchar"(20)" = NULL
-cc_owner : varchar"(64)" = NULL
-cc_number : varchar"(32)" = NULL
-cc_expires : varchar"(4)" = NULL
-last_modified : datetime = NULL
-date_purchased : datetime = NULL
<<not null>>-orders_status : int"(5)"
-orders_date_finished : datetime = NULL
-currency : char"(3)" = NULL
-currency_value : decimal"(14,6)" = NULL
<<index>>+idx_orders_customers_id(customers...

<<table>>
products
<<not null>> <<PK>>-products_id : int"(11)"
<<not null>>-products_quantity : int"(4)"
-products_model : varchar"(12)" = NULL
-products_image : varchar"(64)" = NULL
<<not null>>-products_price : decimal"(15,4)"
<<not null>>-products_date_added : datetime
-products_last_modified : datetime = NULL
-products_date_available : datetime = NULL
<<not null>>-products_weight : decimal"(5,2)"
<<not null>>-products_status : tinyint"(1)"
<<not null>>-products_tax_class_id : int"(11)"
-manufacturers_id : int"(11)" = NULL
<<not null>>-products_ordered : int"(11)" = '0'
<<index>>+idx_products_model(products_model)
<<index>>+idx_products_date_added(products_...

<<table>>
address_book
<<not null>> <<PK>>-address_book_id : int"(11)"
<<not null>>-customers_id : int"(11)"
<<not null>>-entry_gender : char"(1)"
-entry_company : varchar"(32)" = NULL
<<not null>>-entry_firstname : varchar"(32)"
<<not null>>-entry_lastname : varchar"(32)"
<<not null>>-entry_street_address : varchar"(64)"
-entry_suburb : varchar"(32)" = NULL
<<not null>>-entry_postcode : varchar"(10)"
<<not null>>-entry_city : varchar"(32)"
-entry_state : varchar"(32)" = NULL
<<not null>>-entry_country_id : int"(11)" = '0'
<<not null>>-entry_zone_id : int"(11)" = '0'
<<index>>+idx_address_book_customers_id(cu...

<<table>>
orders_total
<<PK>>-orders_total_id : int"(10)"
<<not null>>-orders_id : int"(11)"
<<not null>>-title : varchar"(255)"
<<not null>>-text : varchar"(255)"
<<not null>>-value : decimal"(15,4)"
<<not null>>-class : varchar"(32)"
<<not null>>-sort_order : int"(11)"
<<index>>+idx_orders_total_orders_id(orders_id)

<<table>>
orders_products
<<not null>> <<PK>>-orders_products_id : int"(11)"
<<not null>>-orders_id : int"(11)"
<<not null>>-products_id : int"(11)"
-products_model : varchar"(12)" = NULL
<<not null>>-products_name : varchar"(64)"
<<not null>>-products_price : decimal"(15,4)"
<<not null>>-final_price : decimal"(15,4)"
<<not null>>-products_tax : decimal"(7,4)"
<<not null>>-products_quantity : int"(2)"
<<index>>+idx_orders_products_orders_id(orde...
<<index>>+idx_orders_products_products_id(pr...

<<table>>
configuration
<<not null>> <<PK>>-configuration_id : int"(11)"
<<not null>>-configuration_title : varchar"(255)"
<<not null>>-configuration_key : varchar"(255)"
<<not null>>-configuration_value : varchar"(255)"
<<not null>>-configuration_description : varchar"(...
<<not null>>-configuration_group_id : int"(11)"
-sort_order : int"(5)" = NULL
-last_modified : datetime = NULL
<<not null>>-date_added : datetime
-use_function : varchar"(255)" = NULL
-set_function : varchar"(255)" = NULL

<<table>>
newsletters
<<not null>> <<PK>>-newsletters_id : int"(11)"
<<not null>>-title : varchar"(255)"
<<not null>>-content : text
<<not null>>-module : varchar"(255)"
<<not null>>-date_added : datetime
-date_sent : datetime = NULL
-status : int"(1)" = NULL
-locked : int"(1)" = '0'

<<table>>
tax_rates
<<not null>> <<PK>>-tax_rates_id : int"(11)"
<<not null>>-tax_zone_id : int"(11)"
<<not null>>-tax_class_id : int"(11)"
-tax_priority : int"(5)" = '1'
<<not null>>-tax_rate : decimal"(7,4)"
<<not null>>-tax_description : varchar"(255)"
-last_modified : datetime = NULL
<<not null>>-date_added : datetime

<<table>>
products_description
<<not null>>-products_id : int"(11)"
<<not null>>-language_id : int"(11)" = '1'
<<not null>>-products_name : varchar"(64)" = "
-products_description : text
-products_url : varchar"(255)" = NULL
-products_viewed : int"(5)" = '0'
<<PK>>+(){columns = products_id, language_id}
<<index>>+products_name(products_name)

<<table>>
products
<<not null>>-products_id : int"(11)"
<<not null>>-language_id : int"(11)" = '1'
<<not null>>-products_name : varchar"(64)" = "
<<not null>>-products_description : text
<<not null>>-products_url : varchar"(255)" = NULL
<<not null>>-products_viewed : int"(5)" = '0'
<<PK>>+(){columns = products_id, language_id}
<<index>>+products_name(products_name)

<<table>>
geo_zones
<<not null>> <<PK>>-geo_zone_id : int"(11)"

<<table>>
tax_class
<<not null>> <<PK>>-tax_class_id : int"(11)"

<<table>>
orders_status
<<not null>>-orders_status_id : int"(11)" = '0'
<<not null>>-language_id : int"(11)" = '1'

customers
<<not null>> <<PK>>-customers_id : int"(11)" <<not null>>-customers_gender : char"(1)" <<not null>>-customers_firstname : varchar"(32)" <<not null>>-customers_lastname : varchar"(32)" <<not null>>-customers_dob : datetime = '0000-0...' <<not null>>-customers_email_address : varchar... -customers_default_address_id : int"(11)" = NULL <<not null>>-customers_telephone : varchar"(32)" -customers_fax : varchar"(32)" = NULL <<not null>>-customers_password : varchar"(40)" -customers_newsletter : char"(1)" = NULL <<index>>+idx_customers_email_address(custo...

banners
<<not null>> <<PK>>-banners_id : int"(11)" <<not null>>-banners_title : varchar"(64)" <<not null>>-banners_url : varchar"(255)" <<not null>>-banners_image : varchar"(64)" <<not null>>-banners_group : varchar"(10)" -banners_html_text : text -expires_impressions : int"(7)" = '0' -expires_date : datetime = NULL -date_scheduled : datetime = NULL <<not null>>-date_added : datetime -date_status_change : datetime = NULL <<not null>>-status : int"(1)" = '1' <<index>>+idx_banners_group(banners_group)

reviews
<<not null>> <<PK>>-reviews_id : int"(11)" <<not null>>-products_id : int"(11)" -customers_id : int"(11)" = NULL -customers_name : varchar"(64)" -reviews_rating : int"(1)" = NULL -date_added : datetime = NULL -last_modified : datetime = NULL <<not null>>-reviews_read : int"(5)" = '0' <<index>>+idx_reviews_products_id(products_id) <<index>>+idx_reviews_customers_id(customer...

orders_products_attributes
<<not null>> <<PK>>-orders_products_attributes_... <<not null>>-orders_id : int"(11)" <<not null>>-orders_products_id : int"(11)" <<not null>>-products_options : varchar"(32)" <<not null>>-products_options_values : varchar"(... <<not null>>-options_values_price : decimal"(15,4)" <<not null>>-price_prefix : char"(1)" <<index>>+idx_orders_products_att_orders_id(o...

specials
<<not null>> <<PK>>-specials_id : int"(11)" <<not null>>-products_id : int"(11)" <<not null>>-specials_new_products_price : deci... -specials_date_added : datetime = NULL -specials_last_modified : datetime = NULL -expires_date : datetime = NULL -date_status_change : datetime = NULL <<not null>>-status : int"(1)" = '1' <<index>>+idx_specials_products_id(products_id)

currencies
<<not null>> <<PK>>-currencies_id : int"(11)" <<not null>>-title : varchar"(32)" <<not null>>-code : char"(3)" -symbol_left : varchar"(12)" = NULL -symbol_right : varchar"(12)" = NULL -decimal_point : char"(1)" = NULL -thousands_point : char"(1)" = NULL -decimal_places : char"(1)" = NULL -value : float"(13,8)" = NULL -last_updated : datetime = NULL <<index>>+idx_currencies_code(code)

products_options
<<not null>> <<PK>>-products_options_id : int"(11)" = '0' <<not null>>-products_id : int"(11)" = '1' <<not null>>-products_options_name : varchar"(3... <<not null>>-products_options_id : int"(11)" = '0' <<not null>>-products_id : int"(11)" = '1'

banners_history
<<not null>> <<PK>>-banners_history_id : int"(11)" <<not null>>-banners_id : int"(11)" <<not null>>-banners_shown : int"(5)" = '0' <<not null>>-banners_clicked : int"(5)" = '0' <<not null>>-banners_history_date : datetime <<index>>+idx_banners_history_banners_id(ban...

zones_to_geo_zones
<<not null>> <<PK>>-association_id : int"(11)" <<not null>>-zone_country_id : int"(11)" -zone_id : int"(11)" = NULL -geo_zone_id : int"(11)" = NULL -last_modified : datetime = NULL <<not null>>-date_added : datetime <<index>>+idx_zones_to_geo_zones_country_id...

orders_products_download
<<not null>> <<PK>>-orders_products_download... <<not null>>-orders_id : int"(11)" = '0'

products_attributes_download
<<not null>> <<PK>>-products_attributes_id : int"(11)"

customers_basket
<<not null>> <<PK>>-customers_basket_id : int"(11)" <<not null>>-customers_id : int"(11)"

<<not null>>-geo_zone_name : varchar(32)"
<<not null>>-geo_zone_description : varchar(255)"
-last_modified : datetime = NULL
<<not null>>-date_added : datetime

<<not null>>-tax_class_title : varchar(32)"
<<not null>>-tax_class_description : varchar(255)"
-last_modified : datetime = NULL
<<not null>>-date_added : datetime

<<not null>>-orders_status_name : varchar(32)"
-public_flag : int(11)" = '1'
-downloads_flag : int(11)" = '0'
<<PK>>>+(){columns = orders_status_id, language...
<<index>>>+idx_orders_status_name(orders_stat...

<<table>>
configuration_group
<<not null>> <<PK>>>-configuration_group_id : int(...
<<not null>>-configuration_group_title : varchar(6...
<<not null>>-configuration_group_description : va...
-sort_order : int(5)" = NULL
-visible : int(1)" = '1'

<<table>>
orders_status_history
<<not null>> <<PK>>>-orders_status_history_id : in...
<<not null>>-orders_id : int(11)"
<<not null>>-orders_status_id : int(5)"
<<not null>>-date_added : datetime
-customer_notified : int(1)" = '0'
-comments : text
<<index>>>+idx_orders_status_history_orders_id(...

<<table>>
manufacturers_info
<<not null>>-manufacturers_id : int(11)"
<<not null>>-languages_id : int(11)"
<<not null>>-manufacturers_url : varchar(255)"
<<not null>>-url_clicked : int(5)" = '0'
-date_last_click : datetime = NULL
<<PK>>>+(){columns = manufacturers_id, languag...

<<table>>
zones
<<not null>> <<PK>>>-zone_id : int(11)"
<<not null>>-zone_country_id : int(11)"
<<not null>>-zone_code : varchar(32)"
<<not null>>-zone_name : varchar(32)"
<<index>>>+idx_zones_country_id(zone_country...

<<table>>
categories_description
<<not null>>-categories_id : int(11)" = '0'
<<not null>>-language_id : int(11)" = '1'
<<not null>>-categories_name : varchar(32)"
<<PK>>>+(){columns = categories_id, language_id}
<<index>>>+idx_categories_name(categories_na...

<<table>>
customers_info
<<not null>> <<PK>>>-customers_info_id : int(11)"
-customers_info_date_of_last_logon : datetime = ...
-customers_info_number_of_logons : int(5)" = N...
-customers_info_date_account_created : datetim...
-customers_info_date_account_last_modified : da...
-global_product_notifications : int(1)" = '0'

<<table>>
categories
<<not null>> <<PK>>>-categories_id : int(11)"
-categories_image : varchar(64)" = NULL
<<not null>>-parent_id : int(11)" = '0'
-sort_order : int(3)" = NULL
-date_added : datetime = NULL
-last_modified : datetime = NULL
<<index>>>+idx_categories_parent_id(parent_id)

<<table>>
languages
<<not null>> <<PK>>>-languages_id : int(11)"
<<not null>>-name : varchar(32)"
<<not null>>-code : char(2)"
-image : varchar(64)" = NULL
-directory : varchar(32)" = NULL
-sort_order : int(3)" = NULL
<<index>>>+IDX_LANGUAGES_NAME(name)

<<table>>
products_notifications
<<not null>>-products_id : int(11)"
<<not null>>-customers_id : int(11)"
<<not null>>-date_added : datetime
<<PK>>>+(){columns = products_id, customers_id}

<<table>>
reviews
<<not null>>-review_id : int(11)"
<<not null>>-language_id : int(11)"
<<not null>>-review_text : text
<<PK>>>+(){columns = products_id, customers_id, review_id}

<<table>>
products_to_categories
<<not null>>-products_id : int(11)"
<<not null>>-categories_id : int(11)"
<<PK>>>+(){columns = products_id, categories_id}

<<table>>
address_format
<<not null>> <<PK>>>-address_format_id : int(11)"
<<not null>>-address_format : varchar(128)"
<<not null>>-address_summary : varchar(48)"

<<table>>
counter_history
-month : char(8)" = NULL
-counter : int(12)" = NULL

<<table>>
counter
-startdate : char(8)" = NULL
-counter : int(12)" = NULL

<div><<not null>>-orders_products_id : int(11)" = '0' <<not null>>-orders_products_filename : varchar"... <<not null>>-download_maxdays : int(2)" = '0' <<not null>>-download_count : int(2)" = '0' <<index>>+idx_orders_products_download_order...</div>	<div><<not null>>-products_attributes_filename : varchar"... -products_attributes_maxdays : int(2)" = '0' -products_attributes_maxcount : int(2)" = '0'</div>	<div><<not null>>-products_id : tinytext <<not null>>-customers_basket_quantity : int(2)" -final_price : decimal(15,4)" = NULL -customers_basket_date_added : char(8)" = N... <<index>>+idx_customers_basket_customers_i...</div>	
<div><<table>> manufacturers <<not null>> <<PK>>-manufacturers_id : int(11)" <<not null>>-manufacturers_name : varchar(32)" -manufacturers_image : varchar(64)" = NULL -date_added : datetime = NULL -last_modified : datetime = NULL <<index>>+IDX_MANUFACTURERS_NAME(ma...</div>	<div><<table>> products_options_values <<not null>>-products_options_values_id : int(11"... <<not null>>-language_id : int(11)" = '1' <<not null>>-products_options_values_name : va... <<PK>>+(){columns = products_options_values_i...</div>	<div><<table>> customers_basket_attributes <<not null>> <<PK>>-customers_basket_attribute... <<not null>>-customers_id : int(11)" <<not null>>-products_id : tinytext <<not null>>-products_options_id : int(11)" <<not null>>-products_options_value_id : int(11)" <<index>>+idx_customers_basket_att_customer...</div>	
<div><<table>> countries <<not null>> <<PK>>-countries_id : int(11)" <<not null>>-countries_name : varchar(64)" <<not null>>-countries_iso_code_2 : char(2)" <<not null>>-countries_iso_code_3 : char(3)" <<not null>>-address_format_id : int(11)" <<index>>+IDX_COUNTRIES_NAME(countries_...</div>	<div><<table>> products_attributes <<not null>> <<PK>>-products_attributes_id : int"... <<not null>>-products_id : int(11)" <<not null>>-options_id : int(11)" <<not null>>-options_values_id : int(11)" <<not null>>-options_values_price : decimal(15,4)" <<not null>>-price_prefix : char(1)" <<index>>+idx_products_attributes_products_id(...</div>	<div><<table>> whos_online -customer_id : int(11)" = NULL <<not null>>-full_name : varchar(64)" <<not null>>-session_id : varchar(128)" <<not null>>-ip_address : varchar(15)" <<not null>>-time_entry : varchar(14)" <<not null>>-time_last_click : varchar(14)" <<not null>>-last_page_url : text</div>	
<div><<table>> ws_description ews_id : int(11)" juages_id : int(11)" ews_text : text nns = reviews_id, languages_id]</div>	<div><<table>> administrators <<not null>> <<PK>>-id : int(11)" <<not null>>-user_name : varchar(32)characters... <<not null>>-user_password : varchar(40)"</div>	<div><<table>> products_options_values_to_products_options <<not null>> <<PK>>-products_options_values_to_pro... <<not null>>-products_options_id : int(11)" <<not null>>-products_options_values_id : int(11)"</div>	<div><<not null>> <<... -expiry : int(11" <<not null>>-va</div>

<<table>>	
sessions	
PK<>>-sesskey : varchar(32)"	
)"	
lue : text	