

# FOUNDATION FOR INTELLIGENT PHYSICAL AGENTS

## FIPA Abstract Architecture Specification

<b>Document title</b>	FIPA Abstract Architecture Specification		
<b>Document number</b>	SC00001L	<b>Document source</b>	FIPA TC Architecture
<b>Document status</b>	Standard	<b>Date of this status</b>	2002/12/03
<b>Supersedes</b>	None		
<b>Contact</b>	fab@fipa.org		
<b>Change history</b>	See <i>Informative Annex E — ChangeLog</i>		

© 1996-2002 Foundation for Intelligent Physical Agents  
<http://www.fipa.org/>  
Geneva, Switzerland

### Notice

Use of the technologies described in this specification may infringe patents, copyrights or other intellectual property rights of FIPA Members and non-members. Nothing in this specification should be construed as granting permission to use any of the technologies described. Anyone planning to make use of technology covered by the intellectual property rights of others should first obtain permission from the holder(s) of the rights. FIPA strongly encourages anyone implementing any part of this specification to determine first whether part(s) sought to be implemented are covered by the intellectual property of others, and, if so, to obtain appropriate licenses or other permission from the holder(s) of such intellectual property prior to implementation. This specification is subject to change without notice. Neither FIPA nor any of its Members accept any responsibility whatsoever for damages or liability, direct or consequential, which may result from the use of this specification.

## 21 **Foreword**

22 The Foundation for Intelligent Physical Agents (FIPA) is an international organization that is dedicated to promoting the  
23 industry of intelligent agents by openly developing specifications supporting interoperability among agents and agent-  
24 based applications. This occurs through open collaboration among its member organizations, which are companies and  
25 universities that are active in the field of agents. FIPA makes the results of its activities available to all interested parties  
26 and intends to contribute its results to the appropriate formal standards bodies where appropriate.

27 The members of FIPA are individually and collectively committed to open competition in the development of agent-  
28 based applications, services and equipment. Membership in FIPA is open to any corporation and individual firm,  
29 partnership, governmental body or international organization without restriction. In particular, members are not bound to  
30 implement or use specific agent-based standards, recommendations and FIPA specifications by virtue of their  
31 participation in FIPA.

32 The FIPA specifications are developed through direct involvement of the FIPA membership. The status of a  
33 specification can be Preliminary, Experimental, Standard, Deprecated or Obsolete. More detail about the process of  
34 specification may be found in the FIPA Document Policy [f-out-00000] and the FIPA Specifications Policy [f-out-00003].  
35 A complete overview of the FIPA specifications and their current status may be found on the FIPA Web site.

36 FIPA is a non-profit association registered in Geneva, Switzerland. As of June 2002, the 56 members of FIPA  
37 represented many countries worldwide. Further information about FIPA as an organization, membership information,  
38 FIPA specifications and upcoming meetings may be found on the FIPA Web site at <http://www.fipa.org/>.

40	1	Introduction .....	1
41	1.1	Contents .....	1
42	1.2	Audience.....	1
43	1.3	Acknowledgements .....	2
44	2	Scope and Methodology .....	3
45	2.1	Background .....	3
46	2.2	Why an FIPA Abstract Architecture? .....	4
47	2.3	Scope of the FIPA Abstract Architecture .....	4
48	2.3.1	Areas that are not Sufficiently Abstract .....	5
49	2.3.2	Areas for Future Consideration .....	5
50	2.4	Going From Abstract to Concrete Specifications .....	5
51	2.5	Methodology .....	7
52	2.6	Status of the FIPA Abstract Architecture .....	8
53	2.7	Evolution of the FIPA Abstract Architecture .....	8
54	3	Themes of the FIPA Abstract Architecture .....	9
55	3.1	Focus on Agent Interoperability.....	10
56	3.2	An Exemplar System .....	10
57	4	Architectural Overview.....	11
58	4.1	Agents and Services .....	11
59	4.2	Starting an Agent.....	11
60	4.3	Agent Directory Services .....	11
61	4.3.1	Registering an Agent.....	12
62	4.3.2	Discovering an Agent .....	12
63	4.4	Service Directory Services .....	13
64	4.5	Agent Messages.....	13
65	4.5.1	Message Structure .....	13
66	4.5.2	Message Transport .....	14
67	4.6	Agents Send Messages to Other Agents .....	14
68	4.7	Providing Message Validity and Encryption .....	16
69	4.8	Providing Interoperability .....	17
70	5	Architectural Elements.....	18
71	5.1	Introduction.....	18
72	5.1.1	Classification of Elements .....	18
73	5.1.2	Key-Value Tuples .....	18
74	5.1.3	Services .....	20
75	5.1.4	Format of Element Description.....	20
76	5.1.5	Abstract Elements .....	20
77	5.2	Agent .....	22
78	5.2.1	Summary .....	22
79	5.2.2	Relationships to Other Elements.....	22
80	5.2.3	Description .....	22
81	5.3	Agent Attribute.....	23
82	5.3.1	Summary .....	23
83	5.3.2	Relationships to Other Elements.....	23
84	5.3.3	Description .....	23
85	5.4	Agent Communication Language .....	23
86	5.4.1	Summary .....	23
87	5.4.2	Relationships to Other Elements.....	23
88	5.4.3	Description .....	23
89	5.5	Agent Directory Entry .....	23
90	5.5.1	Summary .....	23
91	5.5.2	Relationships to Other Elements.....	24
92	5.5.3	Description .....	24

93	5.6	Agent Directory Service.....	24
94	5.6.1	Summary.....	24
95	5.6.2	Relationships to Other Elements.....	24
96	5.6.3	Actions.....	24
97	5.6.4	Description.....	26
98	5.7	Agent Locator.....	27
99	5.7.1	Summary.....	27
100	5.7.2	Relationships to Other Elements.....	27
101	5.7.3	Description.....	27
102	5.8	Agent Name.....	27
103	5.8.1	Summary.....	27
104	5.8.2	Relationships to Other Elements.....	27
105	5.8.3	Description.....	27
106	5.9	Content.....	28
107	5.9.1	Summary.....	28
108	5.9.2	Relationships to Other Elements.....	28
109	5.9.3	Description.....	28
110	5.10	Content Language.....	28
111	5.10.1	Summary.....	28
112	5.10.2	Relationships to Other Elements.....	29
113	5.10.3	Description.....	29
114	5.11	Encoding Representation.....	29
115	5.11.1	Summary.....	29
116	5.11.2	Relationships to Other Elements.....	29
117	5.11.3	Description.....	29
118	5.12	Encoding Service.....	29
119	5.12.1	Summary.....	29
120	5.12.2	Relationships to Other Elements.....	29
121	5.12.3	Actions.....	30
122	5.12.4	Description.....	31
123	5.13	Envelope.....	31
124	5.13.1	Summary.....	31
125	5.13.2	Relationship to Other Elements.....	31
126	5.13.3	Description.....	31
127	5.14	Explanation.....	31
128	5.14.1	Summary.....	31
129	5.14.2	Relationship to Other Elements.....	31
130	5.14.3	Description.....	32
131	5.15	Message.....	32
132	5.15.1	Summary.....	32
133	5.15.2	Relationships to other elements.....	32
134	5.15.3	Description.....	32
135	5.16	Message Transport Service.....	32
136	5.16.1	Summary.....	32
137	5.16.2	Relationships to Other Elements.....	32
138	5.16.3	Actions.....	32
139	5.16.4	Description.....	34
140	5.17	Ontology.....	34
141	5.17.1	Summary.....	34
142	5.17.2	Relationships to Other Elements.....	34
143	5.17.3	Description.....	34
144	5.18	Payload.....	35
145	5.18.1	Summary.....	35
146	5.18.2	Relationships to Other Elements.....	35
147	5.18.3	Description.....	35
148	5.19	Service.....	35
149	5.19.1	Summary.....	35

150	5.19.2	Relationships to Other Elements.....	35
151	5.19.3	Description .....	35
152	5.20	Service Address.....	35
153	5.20.1	Summary.....	35
154	5.20.2	Relationships to Other Elements.....	36
155	5.20.3	Description .....	36
156	5.21	Service Attributes.....	36
157	5.21.1	Summary.....	36
158	5.21.2	Relationships to Other Elements.....	36
159	5.21.3	Description .....	36
160	5.22	Service Directory Entry .....	36
161	5.22.1	Summary.....	36
162	5.22.2	Relationships to Other Elements.....	36
163	5.22.3	Description .....	37
164	5.23	Services Directory Service.....	37
165	5.23.1	Summary.....	37
166	5.23.2	Relationships to Other Elements.....	37
167	5.23.3	Description .....	37
168	5.23.4	Actions .....	37
169	5.24	Service Identifier .....	39
170	5.24.1	Summary.....	39
171	5.24.2	Relationships to other elements.....	40
172	5.24.3	Description .....	40
173	5.25	Service Location Description .....	40
174	5.25.1	Summary.....	40
175	5.25.2	Relationships to Other Elements.....	40
176	5.25.3	Description .....	40
177	5.26	Service Locator.....	40
178	5.26.1	Summary.....	40
179	5.26.2	Relationships to Other Elements.....	40
180	5.26.3	Description .....	41
181	5.27	Service Root .....	41
182	5.27.1	Summary.....	41
183	5.27.2	Relationships to Other Elements.....	41
184	5.27.3	Description .....	41
185	5.28	Service Signature .....	41
186	5.28.1	Summary.....	41
187	5.28.2	Relationships to Other Elements.....	41
188	5.28.3	Description .....	41
189	5.29	Service Type.....	42
190	5.29.1	Summary.....	42
191	5.29.2	Relationships to Other Elements.....	42
192	5.29.3	Description .....	42
193	5.30	Signature Type .....	42
194	5.30.1	Summary.....	42
195	5.30.2	Relationships to Other Elements.....	42
196	5.30.3	Description .....	42
197	5.31	Transport .....	42
198	5.31.1	Summary.....	42
199	5.31.2	Relationships to Other Elements.....	43
200	5.31.3	Description .....	43
201	5.32	Transport Description .....	43
202	5.32.1	Summary.....	43
203	5.32.2	Relationships to Other Elements.....	43
204	5.32.3	Description .....	43
205	5.33	Transport Message.....	43
206	5.33.1	Summary.....	43

207	5.33.2	Relationships to Other Elements.....	43
208	5.33.3	Description .....	43
209	5.34	Transport Specific Address.....	44
210	5.34.1	Summary.....	44
211	5.34.2	Relationships to Other Elements.....	44
212	5.34.3	Description .....	44
213	5.35	Transport Specific Property .....	44
214	5.35.1	Summary.....	44
215	5.35.2	Relationships to Other Elements.....	44
216	5.35.3	Description .....	44
217	5.36	Transport Type .....	44
218	5.36.1	Summary.....	44
219	5.36.2	Relationships to Other Elements.....	44
220	5.36.3	Description .....	45
221	6	Agent and Agent Information Model .....	46
222	6.1	Agent Relationships.....	46
223	6.2	Transport Message Relationships.....	47
224	6.3	Agent Directory Entry Relationships.....	48
225	6.4	Service Directory Entry Relationships .....	49
226	6.5	Message Elements.....	50
227	6.6	Message Transport Elements .....	51
228	7	References .....	52
229	8	Informative Annex A — Goals of Service Model .....	53
230	8.1	Scope .....	53
231	8.2	Variety of Services .....	53
232	8.3	Bootstrapping .....	53
233	8.4	Dynamic services .....	53
234	8.5	Granularity.....	53
235	8.6	Example.....	53
236	9	Informative Annex B — Goals of Message Transport Service Abstraction .....	55
237	9.1	Scope .....	55
238	9.2	Variety of Transports .....	55
239	9.3	Support for Alternative Transports within a Single System .....	55
240	9.4	Desirability of Transport Agnosticism .....	56
241	9.5	Desirability of Selective Specificity .....	56
242	9.6	Connection-Based, Connectionless and Store-and-Forward Transports.....	56
243	9.7	Conversation Policies and Interaction Protocols.....	56
244	9.8	Point-to-Point and Multiparty Interactions.....	56
245	9.9	Durable Messaging.....	57
246	9.10	Quality of Service.....	57
247	9.11	Anonymity .....	57
248	9.12	Message Encoding .....	57
249	9.13	Interoperability and Gateways .....	58
250	9.14	Reasoning about Agent Communications .....	58
251	9.15	Testing, Debugging and Management.....	58
252	10	Informative Annex C — Goals of Directory Service Abstractions .....	59
253	10.1	Scope.....	59
254	10.2	Variety of Directory Services .....	59
255	10.3	Desirability of Directory Agnosticism .....	59
256	10.4	Desirability of Selective Specificity .....	60
257	10.5	Interoperability and Gateways .....	60
258	10.6	Reasoning about Agent Directory.....	60
259	10.7	Testing, Debugging and Management.....	60
260	11	Informative Annex D — Goals for Security and Identity Abstractions.....	61
261	11.1	Introduction .....	61
262	11.2	Overview.....	61
263	11.3	Areas to Apply Security .....	61

264	11.3.1	Content Validity and Privacy during Message Transport .....	61
265	11.3.2	Agent Identity .....	62
266	11.3.3	Agent Principal Validation .....	62
267	11.3.4	Code Signing Validation .....	62
268	11.4	Risks Not Addressed .....	63
269	11.4.1	Code or Data Peeping.....	63
270	11.4.2	Code or Data Alteration.....	63
271	11.4.3	Concerted Attacks.....	63
272	11.4.4	Copy and Replay.....	63
273	11.4.5	Denial of Service .....	63
274	11.4.6	Misinformation Campaigns.....	63
275	11.4.7	Repudiation .....	63
276	11.4.8	Spoofing and Masquerading .....	64
277	11.5	Glossary of Security Terms .....	64
278	12	Informative Annex E — ChangeLog.....	66
279	12.1	2001/11/01 - version I by TC Architecture .....	66
280	12.2	2002/11/01 - version K by TC X2S .....	68
281	12.3	2002/12/03 - version L by FIPA Architecture Board .....	68

## 282 1 Introduction

283 This document, and the specifications that are derived from it, defines the FIPA Abstract Architecture. The parts of the  
284 FIPA FIPA Abstract Architecture include<sup>1</sup>:

- 285
- 286 • A specification that defines architectural elements and their relationships (this document).
- 287
- 288 • Guidelines for the specification of agent systems in terms of particular software and communications technologies  
289 (Guidelines for Instantiation).
- 290
- 291 • Specifications governing the interoperability and conformance of agents and agent systems (Interoperability  
292 Guidelines).
- 293

294 See Section 2 for a fuller introduction to this document.

295

### 296 1.1 Contents

297 This document is organized into the following sections and a series of annexes.

- 298
- 299 • This **Introduction**.
- 300
- 301 • The **Scope and methodology** section explains the background of this work, its purpose, and the methodology that  
302 has been followed. It describes the role of this work in the overall FIPA work program and discusses both the  
303 current status of the work and way in which the document is expected to evolve.
- 304
- 305 • The **Themes of the FIPA Abstract Architecture** section that explains the style and the themes of the FIPA  
306 Abstract Architecture specification.
- 307
- 308 • The **Architectural overview** presents an overview of the architecture with some examples. It is intended to provide  
309 the appropriate context for understanding the subsequent sections.
- 310
- 311 • The **Architectural Elements** section comprises the FIPA Abstract Architecture components.
- 312
- 313 • The **Agent and Agent Information Model** defines UML pattern relationships between **Architectural Elements**.

314

315 The annexes include:

- 316
- 317 • **Goals of Service Model**
- 318
- 319 • **Goals of Message Transport Service Abstractions**
- 320
- 321 • **Goals of Directory Service** Abstractions.
- 322
- 323 • **Goals for Security and Identity** Abstractions.
- 324

324

### 325 1.2 Audience

326 The primary audience for this document is developers of concrete specifications for agent systems – specifications  
327 grounded in particularly technologies, representations, and programming models. It may also be read by the users of  
328 the concrete specifications, including implementers of agent platforms, agent systems, and gateways between agent  
329 systems.

330

---

<sup>1</sup> Note that the latter two documents are not yet available.



331 This document describes an FIPA Abstract Architecture for creating intentional multi-agent systems. It assumes that the  
332 reader has a good understanding about the basic principles of multi-agent systems. It does not provide the background  
333 material to help the reader assess whether multi-agent systems are an appropriate model for their system design, nor  
334 does it provide background material on topics such as Agent Communication Languages, BDI systems, or distributed  
335 computing platforms.

336  
337 The FIPA Abstract Architecture described in this document will guide the creation of concrete specifications of different  
338 elements of the FIPA agent systems. The developers of the concrete specifications must ensure that their work conform  
339 to the FIPA Abstract Architecture in order to provide specifications with appropriate levels of interoperability. Similarly,  
340 those specifying applications that will run on FIPA compliant agent systems will need to understand what services and  
341 features that they can use in the creation of their applications.  
342

### 343 **1.3 Acknowledgements**

344 This document was developed by members of FIPA TC Architecture, the Technical Committee of FIPA charged with  
345 this work. Other FIPA Technical Committees also made substantial contributions to this effort and we thank them for  
346 their effort and assistance.  
347

## 348 2 Scope and Methodology

349 This section provides a context for the FIPA Abstract Architecture, the scope of the work and methodology employed.  
350

### 351 2.1 Background

352 FIPA's goal in creating agent standards is to promote inter-operable agent applications and agent systems. In 1997 and  
353 1998, FIPA issued a series of agent system specifications that had as their goal inter-operable agent systems. This  
354 work included specifications for agent infrastructure and agent applications. The infrastructure specifications included  
355 an agent communication language, agent services, and supporting management ontologies. There were also a number  
356 of application domains specified, such as personal travel assistance and network management and provisioning.  
357

358 At the heart FIPA's model for agent systems is agent communication, where agents can pass semantically meaningful  
359 messages to one another in order to accomplish the tasks required by the application. In 1998 and 1999 it became  
360 clear that it would be useful to support variations in those messages:

- 361 • How those messages are transferred (that is, the transport),
- 362 • How those messages are represented (for example, s-expressions, bit-efficient binary objects, XML), and,
- 363 • Optional attributes of those messages, such as how to authenticate or encrypt them.

364 It also became clear that to create agent systems, which could be deployed in commercial settings, it was important to  
365 understand and to use existing software environments. These environments included elements such as:

- 366 • Distributed computing platforms or programming languages,
- 367 • Messaging platforms,
- 368 • Security services,
- 369 • Directory services, and,
- 370 • Intermittent connectivity technologies.

371 FIPA was faced with two choices: to incrementally revise specifications to add various features such as intermittent  
372 connectivity, or to take a more holistic approach. The holistic approach, which FIPA adopted in January of 1999, was to  
373 create an architecture that could accommodate a wide range of commonly used mechanisms, such as various  
374 message transports, directory services and other commonly, commercially available development platforms. For  
375 detailed discussions of the goals of the architecture, see Sections 8, 9, 10 and 11.  
376

377 These describe in greater detail the design considerations that were considered when creating this FIPA Abstract  
378 Architecture. In addition, FIPA needed to consider the relationship between the existing FIPA 97, FIPA 98 and FIPA  
379 2000 work and the FIPA Abstract Architecture. While more validation is required, the FIPA 2000 work is in part a  
380 concrete realization of this FIPA Abstract Architecture. While one of the goals in creating this architecture was to  
381 maintain full compatibility with the FIPA 97 and 98 specifications, this was not entirely feasible, especially when trying to  
382 support multiple implementations.  
383

384 Agent systems built according to FIPA 97 and 98 specifications will be able to inter-operate with agent systems built  
385 according to the Abstract Architecture through transport gateways with some limitations. The FIPA 2000 architecture is  
386 a closer match to the FIPA Abstract Architecture, and will be able to fully inter-operate via gateways. The overall goal in  
387 this architectural approach is to permit the creation of systems that seamlessly integrate within their specific computing  
388 environment while interoperating with agent systems residing in separate environments.  
389

399

## 400 2.2 Why an FIPA Abstract Architecture?

401 The first purpose of this work is to foster interoperability and reusability. To achieve this, it is necessary to identify the  
 402 elements of the architecture that must be codified. Specifically, if two or more systems use different technologies to  
 403 achieve some functional purpose, it is necessary to identify the common characteristics of the various approaches. This  
 404 leads to the identification of *architectural abstractions*: abstract designs that can be formally related to every valid  
 405 implementation.

406  
 407 By describing systems abstractly, one can explore the relationships between fundamental elements of these agent  
 408 systems. By describing the relationships between these elements, it becomes clearer how agent systems can be  
 409 created so that they are interoperable. From this set of architectural elements and relations one can derive a broad set  
 410 of possible concrete architectures, which will interoperate because they share a common abstract design.

411  
 412 Because the FIPA Abstract Architecture permits the creation of multiple concrete realizations, it must provide  
 413 mechanisms to permit them to interoperate. This includes providing transformations for both transport and encodings,  
 414 as well as integrating these elements with the basic elements of the environment.

415  
 416 For example, one agent system may transmit ACL messages using the OMG IIOP protocol. A second may use IBM's  
 417 MQ-series enterprise messaging system. An analysis of these two systems – how senders and receivers are identified,  
 418 and how messages are encoded and transferred – allows us to arrive at a series of architectural abstractions involving  
 419 messages, encodings, and addresses.  
 420

## 421 2.3 Scope of the FIPA Abstract Architecture

422 The primary focus of this FIPA Abstract Architecture is to create semantically meaningful message exchange between  
 423 agents which may be using different messaging transports, different Agent Communication Languages, or different  
 424 content languages. This requires numerous points of potential interoperability. The scope of this architecture includes:

- 425 • A model of services and discovery of services available to agents and other services,
- 426 • Message transport interoperability,
- 427 • Supporting various forms of ACL representations,
- 428 • Supporting various forms of content language, and,
- 429 • Supporting multiple directory services representations.

430  
 431 It must be possible to create implementations that vary in some of these attributes, but which can still interoperate.  
 432 Some aspects of potential standardization are outside of the scope of this architecture. There are three different  
 433 reasons why things are out of scope:  
 434

- 435 • The area cannot be described abstractly,
- 436 • The area is not *yet* ready for standardization, or there was not yet sufficient agreement about how to standardize it,  
 437 and,
- 438 • The area is sufficiently specialized that it does not currently need standardization.

439  
 440 Some of the key areas that are **not** included in this architecture are:

- 441 • Agent lifecycle and management,
- 442 • Agent mobility,

443  
 444  
 445  
 446  
 447  
 448  
 449  
 450  
 451  
 452

- 453 • Domains,
- 454
- 455 • Conversational policy, or,
- 456
- 457 • Agent Identity.
- 458

459 The next sections describe the rationale for this in more detail. However, it is extremely important to understand that the  
 460 FIPA Abstract Architecture does not prohibit additional features – it merely addresses how interoperable features  
 461 should be implemented. It is anticipated that over time some of these areas will be part of the interoperability of agent  
 462 systems.  
 463

### 464 **2.3.1 Areas that are not Sufficiently Abstract**

465 An abstraction may not appear in the FIPA Abstract Architecture because is there is no clean abstraction for different  
 466 models of implementation. Two examples of this are agent lifecycle management and security related issues.  
 467

468 For example, in examining agent lifecycle, it seems clear there are a minimum set of features that are required: Starting  
 469 an agent, stopping an agent, “freezing” or “suspending” an agent, and “unfreezing” or “restarting” an agent. In practice,  
 470 when one examines how various software systems work, very little consistency is detected inside the mechanisms, or  
 471 in how to address and use those mechanisms. Although it is clear that concrete specifications will have to address  
 472 these issues, it is not clear how to provide a unifying abstraction for these features. Therefore there are some  
 473 architectural elements that can only appear at the concrete level, because the details of different environments are so  
 474 diverse.  
 475

476 Security has similar issues, especially when trying to provide security in the transport layer, or when trying to provide  
 477 security for attacks that can occur because a particular software environment has characteristics that permits that sort  
 478 of attack. Agent mobility is another implementation specific model that cannot easily be modelled abstractly.  
 479

480 Both of these topics will be addressed in the *Instantiation Guidelines*, because they are an important part of how agent  
 481 systems are created. However, they cannot be modelled abstractly, and are therefore not included at the *abstract* level  
 482 of the architecture.  
 483

### 484 **2.3.2 Areas for Future Consideration**

485 FIPA may address a number of areas of agent standardization in the future. These include ontologies, domains,  
 486 conversational policies and mechanisms that are used to control systems (resource allocation and access control lists),  
 487 and agent identity. These all represent ideas requiring further development.  
 488

489 This architecture does not address application interoperability. The current model for application interoperability is that  
 490 agents that communicate using a shared set of semantics (such as represented by an ontology) can potentially  
 491 interoperate. This architecture does not extend this model any further.  
 492


## 493 **2.4 Going From Abstract to Concrete Specifications**

494 This document describes an FIPA Abstract Architecture. Such an architecture cannot be directly implemented, but  
 495 instead the forms the basis for the development of concrete architectural specifications. Such specifications describe in  
 496 precise detail how to construct an agent system, including the agents and the services that they rely upon, in terms of  
 497 concrete software artefacts, such as programming languages, applications programming interfaces, network protocols,  
 498 operating system services, and so forth.  
 499

500 In order for a concrete architectural specification to be FIPA compliant, it must have certain properties. First, the  
 501 concrete architecture must include mechanisms for agent registration and agent discovery and inter-agent message  
 502 transfer. These services must be explicitly described in terms of the corresponding elements of the FIPA FIPA Abstract  
 503 Architecture. The definition of an abstract architectural element in terms of the concrete architecture is termed a  
 504 *realization* of that element; more generally, a concrete architecture will be said to *realize* all or part of an abstraction.

505  
506  
507  
508  
509  
510  
511  
512

The designer of the concrete architecture has considerable latitude in how he or she chooses to realize the abstract elements. If the concrete architecture provides only one encoding for messages, or only one transport protocol, the realization may simplify the programmatic view of the system. Conversely, a realization may include additional options or features that require the developer to handle both abstract and platform-specific elements. That is to say that the existence of an FIPA Abstract Architecture does not *prohibit* the introduction of elements useful to make a good agent system, it merely sets out the *minimum* required elements.




513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531

**Figure 1:** FIPA Abstract Architecture Mapped to Various Concrete Realizations

The FIPA Abstract Architecture also describes *optional* elements. Although an element is optional at the abstract level, it may be *mandatory* in a particular realization. That is, a realization may require the existence of an entity that is optional at the abstract level (such as a **message-transport-service**), and further specify the features and interfaces that the element must have in that realization.

It is also important to note that a realization can be of the entire architecture, or just one element. For example, a series of concrete specifications could be created that describe how to represent the architecture in terms of particular programming language, coupled to a sockets-based message transport. Messages are handled as objects with that language, and so on.

On the other hand, there may be a single element that can be defined concretely, and then used in a number of different systems. For example, if a concrete specification were created for the **agent-directory-service** element that describes the schemas to use when implemented in LDAP, that particular element might appear in a number of different agent systems.



**Figure 2:** Concrete Realizations Using a Shared Element Realization

In this example, the concrete realization of directory is to implement the directory services in LDAP. Several realizations have chosen to use this directory service model.

## 2.5 Methodology

This FIPA Abstract Architecture was created by the use of UML modelling, combined with the notions of design patterns as described in [Gamma95]. Analysis was performed to consider a variety ways of structuring software and communications components in order to implement the features of an intelligent multi-agent system. This ideal agent system was to be capable of exhibiting execution autonomy and semantic interoperability based on an intentional stance. The analysis drew upon many sources:

- The abstract notions of agency and the design features that flow from this,
- Commercial software engineering principles, especially object-oriented techniques, design methodologies, development tools and distributed computing models,
- Requirements drawn from a variety of applications domains,
- Existing FIPA specifications and implementations,
- Agent systems and services, including FIPA and non-FIPA designs, and,
- Commercially important software systems and services, such as Java, CORBA, DCOM, LDAP, X.500 and MQ Series.

The primary purpose of this work is to foster interoperability and reusability. To achieve this, it is necessary to identify the elements of the architecture that must be codified. Specifically, if two or more systems use different technologies to achieve some functional purpose, it is necessary to identify the common characteristics of the various approaches. This leads to the identification of *architectural elements*: abstract designs that can be formally related to every valid implementation.

For example, one agent system may transmit ACL messages using the OMG IIOP protocol. A second may use IBM's MQ-series enterprise messaging system. An analysis of these two systems – how senders and receivers are identified, and how messages are encoded and transferred – allows us to arrive at a series of architectural abstractions involving messages, encodings, and addresses.

570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584

In some areas, the identification of common abstractions is essential for successful interoperation. This is particularly true for agent-to-agent message transfer. The end-to-end support of a common agent communication language is at the core of FIPA's work. These essential elements, which correspond to mandatory implementation specifications, are here described as *mandatory architectural elements*. Other areas are less straightforward. Different software systems, particularly different types of commercial middleware systems, have specialized frameworks for software deployment, configuration, and management, and it is hard to find common principles. For example, security and identity remain tend to be highly dependent on implementation platforms. Such areas will eventually be the subjects of architectural specification, but not all systems will support them. These architectural elements are *optional*.

This document models the elements and their relationships. In Section 3 there is an holistic overview of the architecture. In Section 4 there is a structural overview of the architecture. In Section 5 each of the architectural elements is described. In Section 6 there are diagrams in UML notation to describe the relationships between the elements.

## 585 **2.6 Status of the FIPA Abstract Architecture**

586 There are several steps in creating the FIPA Abstract Architecture:

587  
588  
589  
590  
591  
592

1. Modelling of the abstract elements and their relationships,
2. Representing the other requirements on the architecture that cannot be modelled abstractly, and,
3. Describing interoperability points.

593  
594  
595

This document represents the first item in the list.

596  
597  
598  
599

The second step is satisfied by *guidelines for instantiation*. This document will not be written until at least one implementation based on the FIPA Abstract Architecture has been created, as it is desirable to base such a document on actual implementation experience.

600  
601  
602

Interoperability points and conformance are defined by specific *interoperability profiles*. These profiles will be created as required during the creation of concrete specifications.

## 603 **2.7 Evolution of the FIPA Abstract Architecture**

604  
605  
606  
607  
608  
609  
610

One of the challenges involved in creating this specification was drawing the line between elements that belong in the FIPA Abstract Architecture and those which belong in concrete instantiations of the architecture. As FIPA creates several concrete specifications, and explores the mechanisms required to properly manage interoperation of these implementations, some features of the concrete architectures may be abstracted and incorporated in the FIPA FIPA Abstract Architecture. Likewise, certain abstract architectural elements may eventually be dropped from the FIPA Abstract Architecture, but may continue to exist in the form of concrete realizations.

611  
612  
613  
614


The current placement of various elements as mandatory or optional is somewhat tentative. It is possible that some elements that are currently optional will, upon further experience in the development of the architecture become mandatory.

### 3 Themes of the FIPA Abstract Architecture

The overall approach of the FIPA Abstract Architecture is deeply rooted in object-oriented design, including the use of design patterns and UML modelling. As such, the natural way to envision the elements of the architecture is as a set of abstract object classes that can act as the input to the high level design of specific implementations.

Although the architecture explicitly avoids any specific model of composing its elements, its natural expression is a set of object classes comprising an agent platform that supports agents and services.

The following diagram depicts the hierarchical relationships between the abstraction defined by this document and the elements of a specific instantiation:



**Figure 3:** Relationship between Abstract and Concrete Architecture Elements

Several themes pervade the architecture; these capture the interaction between elements and their intended use.

The first theme is of opaque typed elements, which can be understood by specific implementations of a service. For example, the details of each transport description are opaque to other layers of the system. The transport descriptor provides a transport type, such as *fipa-tcpip-raw-socket* which acts to select the specific transport service that can interpret the transport-specific-address. Thus, a given address element, opaque to other portions of the system, might be *foo.bar.baz.com:1234* which would be readily understood by the above transport service. Opaque typed elements are used in both message encoding and directory services.

This theme leads to an elegant solution for extensibility. Additional implementations of a service may be dynamically added to an environment by defining a new opaque typed element and associating it with the new service. For example, it may be required that a transport mechanism such as the Simple Object Access Protocol (SOAP) be supported within the environment. The transport type ontology would be extended to include a new term, *fipa-soap-v1*. Note that this resembles a polymorphic type scheme.



645 A second repeated theme is the creation of an association (in the form of a contract) between an agent and a service,  
646 such that the agent may then use the service through a returned handle. Note that this theme is intentionally well suited  
647 for implementation through the factory design patterns.  
648

649 For those familiar with the “design pattern” approach to describing system structure, these themes may be naturally  
650 implemented using the factory pattern.  
651

### 652 **3.1 Focus on Agent Interoperability**

653 The FIPA Abstract Architecture focuses on core interoperability between agents. These include:

- 654 • Managing multiple message transport schemes,
- 656 • Managing message encoding schemes, and,
- 657 • Locating agents and services via directory services.

658  
659  
660  
661 The FIPA Abstract Architecture explicitly avoids issues internal to the structure of an agent. It also largely defers details  
662 of agent services to more concrete architecture documents.  
663

664 After reading through the FIPA Abstract Architecture, many readers may feel that it lacks a number of elements they  
665 would have expected to be included. Examples include the notion of an “agent-platform,” “gateways” between agent  
666 systems, bootstrapping of agent systems and agent configuration and coordination.  
667

668 These elements are not included in the FIPA Abstract Architecture because they are inherently coupled with specific  
669 implementations of the architecture, rather than across all possible implementations. The forthcoming document  
670 “Concrete Architectural Elements” will describe many of these elements in terms of specific environments. Beyond this,  
671 some elements will exist only in specific instantiations.  
672

### 673 **3.2 An Exemplar System**

674 In order to further illuminate the intended use of the architectural elements, let us consider an agent platform,  
675 implemented in an object oriented environment. The system uses the components of the FIPA Abstract Architecture to  
676 implement two separate object factories; a transport factory and an encoding factory. A directory service is also  
677 provided, with access through a static object.  
678

679 Agents in the environment are constructed as objects, each running on a permanent thread. Each has access to the  
680 two agent factories, as well as the directory service.  
681

682 When an agent wants to send a message to another agent, it uses the directory service to obtain a set of transport-  
683 descriptors for the agent. It then passes these transport-descriptors to the transport factory, which returns a transport-  
684 handle. It should be noted that the transport factory and handle are not parts of the FIPA Abstract Architecture, but  
685 rather artefacts of the specific implementation. The agent then uses an encoder provided by the encoding factory, to  
686 transform the message into the desired encoding. Finally it transfers this encoded message to the recipient via the  
687 selected transport.  
688

689 **4 Architectural Overview**

690 The FIPA Abstract Architecture defines at an abstract level how two agents can locate and communicate with each  
 691 other by registering themselves and exchanging messages. To do this, a set of architectural elements and their  
 692 relationships are described. In this section the basic relationships between the elements of the FIPA agent system are  
 693 described. In Section 5 and Section 6, there are descriptions of each element (including mandatory or optional status)  
 694 and UML Models for the architecture, respectively.

695  
 696 This section gives a relatively high level description of the notions of the architecture. It does not explain all of the  
 697 aspects of the architecture. Use this material as an introduction, which can be combined with later sections to reach a  
 698 fuller understanding of the FIPA Abstract Architecture.  
 699

700 **4.1 Agents and Services**

701 **Agents** communicate by exchanging messages which represent speech acts, and which are encoded in an **agent-**  
 702 **communication-language**.

703  
 704 **Services** provide support services for **agents**. In addition to a number of standard services including **agent-directory-**  
 705 **services** and **message-transport-services** this version of the FIPA Abstract Architecture defines a general service  
 706 model that includes a **service-directory-service**.

707  
 708 The Abstract architecture is explicitly neutral about how **services** are presented. They may be implemented either as  
 709 **agents** or as software that is accessed via method invocation, using programming interfaces such as those provided in  
 710 Java, C++, or IDL. An **agent** providing a **service** is more constrained in its behaviour than a general-purpose agent. In  
 711 particular, these agents are required to preserve the semantics of the service. This implies that these agents do not  
 712 have the degree of autonomy normally attributed to agents. They may not arbitrarily refuse to provide the service.

713  
 714 It should be noted that if **services** are implemented as **agents** there are potential problems that may arise with  
 715 discovering and communicating with these services. The resolution of these issues is beyond the scope of this  
 716 document.  
 717

718 **4.2 Starting an Agent**

719 On start-up an agent must be provided with a **service-root**. Typically the provider of the **service-root** will be a **service-**  
 720 **directory-service** which will supply a set of **service-locators** for available agent lifecycle support services, such as  
 721 **message-transport-services**, **agent-directory-services** and **service-directory-services**. In general, a **service-root**  
 722 will provide sufficient entries to either describe all of the services available within the environment directly, or it will  
 723 provide pointers to further services which will describe these services.  
 724

725 **4.3 Agent Directory Services**

726 The basic role of the **agent-directory-service** is to provide a location where **agents** register their descriptions as  
 727 **agent-directory-entries**. Other **agents** can search the **agent-directory-entries** to find **agents** with which they wish to  
 728 interact.  
 729

730 The **agent-directory-entry** is a **key-value-tuple** consisting of at least the following two **key-value-pairs**:  
 731

<b>Agent-name</b>	A globally unique name for the <b>agent</b>
<b>Agent-locator</b>	One or more <b>transport-descriptions</b> , each of which is a self describing structure containing a <b>transport-type</b> , a <b>transport-specific-address</b> and zero or more <b>transport-specific-properties</b> used to communicate with the <b>agent</b>

732


733 In addition the **agent-directory-entry** may contain other descriptive attributes, such as the services offered by the  
 734 **agent**, cost associated with using the **agent**, restrictions on using the **agent**, etc.

735  
 736 Note that the keys **agent-name** and **agent-locator** are short-form for the fully qualified names in the FIPA controlled  
 737 namespace. See Section 5.1.2 for further details.  
 738

739 **4.3.1 Registering an Agent**

740 Agent A wishes to advertise itself as a provider of some service. It first binds itself to one or more **transports**. In some  
 741 implementations it will delegate this task to the **message-transport-service**; in others it will handle the details of, for  
 742 example, contacting an ORB, or registering with an RMI registry, or establishing itself as a listener on a message  
 743 queue. As a result of these actions, the agent is addressable via one or more **transports**.  
 744


745 Having established bindings to one or more **message-transport-services** the agent must advertise its presence. The  
 746 agent realizes this by constructing an **agent-directory-entry** and registering it with the **agent-directory-service**. The  
 747 **agent-directory-entry** includes the **agent-name**, its **agent-locator** and optional attributes that describe the service.  
 748 For example, a stock service might advertise itself in abstract terms as {agent-service, com.dowjones.stockticker} and  
 749 {ontology, org.fipa.ontology.stockquote}<sup>2</sup>.  
 750



751  
 752  
 753 **Figure 4: An Agent Registers with a Directory Service**  
 754

755 **4.3.2 Discovering an Agent**

756 Agents can use the **agent-directory-service** to locate other agents with which to communicate. With reference to  
 757 Figure 5, if agent B is seeking stock quotes, it may search for an agent that advertises use of the stockquote ontology.  
 758 Technically, this would involve searching for an **agent-directory-entry** that includes the **key-value-pair** {ontology,  
 759 {com, dowjones, ontology, stockquote}}. If it succeeds it will retrieve the **agent-directory-entry** for agent A. It might  
 760 also retrieve other **agent-directory-entries** for agents that support that ontology.  
 761



762  
 763  
 764 **Figure 5: Directory Query**  
 765

<sup>2</sup> Note that the quoted string in the first example is a quoted value whereas the other elements are abstract names represented as tuples that may be encoded in a variety of different ways.

766 Agent B can then examine the returned **agent-directory-entries** to determine which agent best suits its needs. The  
 767 **agent-directory-entries** include the **agent-name**, the **agent-locator**, which contains information related to how to  
 768 communicate with the agent, and other optional attributes.  
 769

770 **4.4 Service Directory Services**

771 The basic role of the **service-directory-service** is to provide a consistent means by which agents and services can  
 772 discover services. Operationally, the **service-directory-service** provides a location where **services** can register their  
 773 service descriptions as **service-directory-entries**. Also, **agents** and **services** can search the **service-directory-**  
 774 **service** to locate services appropriate to their needs.  
 775

776 The **service-directory-service** is analogous to but different to the **agent-directory-services**; the latter are oriented  
 777 towards discovering **agents** whereas the former is oriented to discovering **services**. In practice also, the two kinds of  
 778 directories may have radically different realifications. For example, on some systems a **service-directory-service** may  
 779 be modelled simply as a fixed table of a small size whereas the **agent-directory-service** may be modelled using LDAP  
 780 or other distributed directory technologies.  
 781

782 The entries in a **service-directory-service** are service descriptions consisting of a tuple containing a **service-name**,  
 783 **service-type**, a **service-locator** and a set of optional **service-attributes**. The **service-locator** is a typed structure that  
 784 may be used by **services** and **agents** to access the service.  
 785

786 The **service-directory-entry** is a **key-value-tuple** consisting of at least the following **key-value-pairs**:  
 787

<b>Service-name</b>	A globally unique name for the <b>service</b>
<b>Service-type</b>	The categorized <i>type</i> of the <b>service</b>
<b>Service-locator</b>	One of more <b>key-value tuples</b> containing a <b>signature type</b> , <b>service signature</b> and <b>service address</b> each

788 Additional **service-attributes** may be included that contain other descriptive properties of the **service**, such as the cost  
 789 associated with using the **service**, restrictions on using the **service**, etc.  
 790  
 791

792 As a foundation for bootstrapping, each realization of the **service-directory-service** will provide agents with a **service-**  
 793 **root**, which will take the form of a set of **service-locators** including at least one **service-directory-service** (pointing to  
 794 itself).  
 795

796 **4.5 Agent Messages**

797 In FIPA agent systems agents communicate with one another, by sending messages. Three fundamental aspects of  
 798 message communication between agents are the message structure, message representation and message transport.  
 799

800 **4.5.1 Message Structure**

801 The structure of a **message** is a **key-value-tuple** (see Section 5.1.2) and is written in an **agent-communication-**  
 802 **language**, such as FIPA ACL. The **content** of the **message** is expressed in a **content-language**, such as KIF or SL.  
 803 **Content** expressions can be grounded by ontologies referenced within the **ontology key-value-tuple**. The messages  
 804 also contain the **sender** and **receiver** names, expressed as **agent-names**. **Agent-names** are unique name identifiers  
 805 for an agent. Every message has one sender and zero or more receivers. The case of zero receivers enables  
 806 broadcasting of messages such as in ad-hoc wireless networks.  
 807

808 **Messages** can recursively contain other messages.  
 809




Figure 6: A Message

810  
811  
812  
813

814 **4.5.2 Message Transport**

815 When a **message** is sent it is encoded into a **payload**, and included in a **transport-message**. The **payload** is encoded  
816 using the **encoding-representation** appropriate for the transport. For example, if the **message** is going to be sent over  
817 a low bandwidth transport (such a wireless connection) a bit efficient representation may used instead of a string  
818 representation to allow more efficient transmission.

819

820 The **transport-message** itself is the **payload** plus the **envelope**. The **envelope** includes the sender and receiver  
821 **transport-descriptions**. The **transport-descriptions** contain the information about how to send the message (via  
822 what transport, to what address, with details about how to utilize the transport). The **envelope** can also contain  
823 additional information, such as the **encoding-representation**, data related security, and other realization specific data  
824 that needs be visible to the **transport** or recipient(s).

825




Figure 7: A Message Becomes a Transport-message

826  
827  
828  
829  
830  
831  
832  
833  
834  
835

830 In the above diagram, a **message** is encoded into a **payload** suitable for transport over the selected **message-**  
831 **transport**. It should be noted that **payload** adds nothing to the message, but only encodes it into another  
832 representation. An appropriate **envelope** is created that has sender and receiver information that uses the **transport-**  
833 **description** data appropriate to the transport selected. There may be additional envelope data also included. The  
834 combination of the payload and envelope is termed as a **transport-message**.

836 **4.6 Agents Send Messages to Other Agents**

837 In FIPA agent systems agents are intended to communicate with one another. Hence, here are some of the basic  
838 notions about agents and their communications:

839

Each **agent** has an **agent-name**. This **agent-name** is unique and unchangeable. Each agent also has one or more **transport-descriptions**, which are used by other agents to send a **transport-message**. Each **transport-description** correlates to a particular form of message **transport**, such as IOP, SMTP, or HTTP. A **transport** is a mechanism for transferring messages. A **transport-message** is a message that sent from one agent to another in a format (or encoding) that is appropriate to the **transport** being used. A set of **transport-descriptions** can be held in an **agent-locator**.

846

For example, there may be an **agent** with the **agent-name** "ABC". This agent is addressable through two different transports, HTTP and SMTP. Therefore, the agent has two **transport-descriptions**, which are held in the **agent-locator**. The transport descriptions are as follows:

850

**Directory entry for ABC**

852

*Agent-name:* ABC

853

*Agent Locator:*

**Transport-type**

HTTP

SMTP

**Transport-specific-address**

http://www.whiz.net/abc

Abc@lowcal.whiz.net

**Transport-specific-property**

(none)

(none)

854

*Agent-attributes:*

Attrib-1: yes

855

Attrib-2: yellow

856

Language: French, German, English

857

Preferred negotiation: contract-net

858


859

*Note:* in this example, the **agent-name** is used as part of the **transport-descriptions**. This is just to make these examples easier to read. There is *no* requirement to do this.

861

Another agent can communicate with agent "ABC" using either **transport-description**, and thereby know which agent it is communicating with. In fact, the second agent can even change transports and can continue its communication. Because the second agent knows the **agent-name**, it can retain any reasoning it may be doing about the other agent, without loss of continuity.

866



867

868


869

**Figure 8:** Communicating Using Any Transport

870  
871  
872  
873  
874  
875  
876  
877

In the above diagram, Agent 1234 can communicate with Agent ABC using either an SMTP transport or an HTTP transport. In either case, if Agent 1234 is doing any reasoning about agents that it communicates with, it can use the **agent-name** “ABC” to record which agent it is communicating with, rather than the transport description. Thus, if it changes transports, it would still have continuity of reasoning.

Here’s what the messages on the two different transports might look like:



878  
879  
880  
881  
882  
883  
884  
885

Figure 9: Two Transport-Messages to the Same Agent

In the diagram above, the **transport-description** is different, depending on the transport that is going to be used. Similarly, the **message-encoding** of the **payload** may also be different. However, the **agent-names** remain consistent across the two message representations.


#### 4.7 Providing Message Validity and Encryption

There are many aspects of security that can be provided in agent systems. See Section 11 for a discussion of possible security features. In this FIPA Abstract Architecture, there is a simple form of security: message validity and message encryption. In message validity, messages can be sent in such a way that any modification during transmission is identifiable. In message encryption, a message is sent in encrypted form such that non-authorized entities cannot comprehend the message content.

In the FIPA Abstract Architecture these features are accommodated through **encoding-representations** and the use of additional attributes in the **envelope**. For example, as the payload is encoded, one of the encodings could be to a digitally encrypted set of data, using a public key and preferred encryption algorithm. Additional parameters are added to the envelope to indicate these characteristics.

896

897



898  
899  
900  
901  
902  
903  
904

Figure 10: Encrypting a Message Payload

In the above diagram, the payload is encrypted, and additional attributes added to the envelope to support the encryption. These attributes must remain unencrypted in order that the receiving party is able to use them.

905 **4.8 Providing Interoperability**

906 There are two ways in which the FIPA Abstract Architecture makes provision for interoperability. The first is **transport**  
907 interoperability. The second is **message** representation interoperability.

908  
909 To provide interoperability, there are certain elements that must be included throughout the architecture to permit  
910 multiple implementations. For example, earlier it was noted that an **agent** has both an **agent-name** and an **agent-**  
911 **locator**. The **locator** contains **transport-descriptions**, each of which contains information necessary for a particular  
912 transport to send a message to the corresponding agent. The semantics of agent communication require that an  
913 agent's name be preserved throughout its lifetime, regardless of what transports may be used to communicate with it.  
914



## 915 5 Architectural Elements

916 The elements of the FIPA Abstract Architecture are defined here. For each element, the semantics are described  
 917 informally followed by the relationships between the element and others.  
 918

### 919 5.1 Introduction

#### 920 5.1.1 Classification of Elements

921 The word **element** is used here to indicate an item or entity that is part of the architecture, and participates in  
 922 relationships with other elements of the architecture.  
 923

924 The architectural elements are classified as *mandatory* or *optional*. Mandatory elements must appear in all  
 925 instantiations of the FIPA FIPA Abstract Architecture. They describe the fundamental services, such as agent  
 926 registration and communications. These elements are the core aspects of the architecture. Optional elements are not  
 927 mandatory; they represent architecturally useful features that may be shared by some, but not all, concrete  
 928 instantiations. The FIPA Abstract Architecture only defines those optional elements that are highly likely to occur in  
 929 multiple instantiations of the architecture.  
 930

931 These descriptors and classifications are summarised in *Table 1*.  
 932

Word	Definition
<b>Can, May</b>	In relationship descriptions, the word can or may is used to indicate this is an optional relationship. For example, a <b>service</b> <i>may</i> provide an API invocation, but it is not required to do so.
<b>Element, or architectural element</b>	A member of this FIPA Abstract Architecture. The word <b>element</b> is used here to indicate an item or entity that is part of the architecture, and participates in relationships with other elements of the architecture.
<b>Mandatory</b>	Description of an element or relationship. Required in all fully functional implementations of the FIPA Abstract Architecture.
<b>Must</b>	In relationship descriptions, the word must is used to indicate this is a mandatory relationship. For example, an <b>agent</b> <i>must</i> have an <b>agent-name</b> means that an <b>agent</b> is required to have an <b>agent-name</b> .
<b>Optional</b>	Description of an element or relationship. May appear in any implementation of the FIPA Abstract Architecture, but is not required. Functionality that is common enough that it was included in model.
<b>Realize, realization</b>	To create a concrete specification or instantiation from the FIPA Abstract Architecture. For example, there may be a design to implement the abstract notion of <b>agent-directory-services</b> in LDAP. This could also be said that there is a <i>realization</i> of <b>agent-directory-services</b> .
<b>Relationship</b>	A connection between two elements in the architecture. The relationship between two elements is named (for example “is an instance of”, “sends message to”) and may have other attributes, such as whether it is required, optional, one-to-one, or one-to-many. The term as used in this document, is very much the way the term is used in UML or other system modelling techniques.

933 **Table 1:** Terminology  
 934  
 935

#### 936 5.1.2 Key-Value Tuples

937 Many of the elements of the FIPA Abstract Architecture are defined to be **key-value-tuples**, or **KVTs**. For example, an  
 938 ACL message, its envelope, and agent descriptions are all KVTs. The concept of a **KVT** is central to the notion of  
 939 architectural extensibility, and so it is discussed in some length here.  
 940

941 A **KVT** consists of an unordered set of **key-value-pairs**. Each **key-value-pair** has two elements, as the term implies.  
 942 The first element, the **key**, is a **pair-element** drawn from an administered name space. All keys defined by the FIPA  
 943 Abstract Architecture are drawn from a name space managed by FIPA. This makes it possible for concrete  
 944 architectures, or individual implementations, to add new architectural elements in a manner which is guaranteed not to  
 945 conflict with the FIPA Abstract Architecture. The second element of the **key-value-pair** is the **value**. The type of value  
 946 depends on the **key**. In many cases, the value is another **pair-element**, an identifier drawn from a name-space. In other  
 947 cases, the **value** is a constant or expression of some specific type.

948  
 949 The rest of this section describes the rules governing the names for **keys** and **values**.

950  
 951 Traditionally, **pair-elements** have been treated as simple text strings. It is more useful to adopt a more abstract model  
 952 in which abstract identifiers and keywords may be encoded in a variety of different ways.

953  
 954 It is also important that the FIPA elements represented as **key-value-tuples** should be extensible. There are three  
 955 types of extension that can be envisaged:

- 956
- 957 • Official FIPA sanctioned standard extensions,
  - 958
  - 959 • Durable vendor-specific extensions, and,
  - 960
  - 961 • Temporary, probably private, extensions.

962  
 963 The last of these has traditionally been addressed by using a particular prefix string (“x-”).

964  
 965 Every **pair-element** is an ordered tuple of **tokens**. This tuple denotes a name within a hierarchical namespace, in which  
 966 the first **token** in the tuple is at the highest level in the hierarchy and the rightmost is the leaf. Examples of tuples are:

967

```

968     {org, fipa, standard, ontology, foo}
969     {com, sun, java, agent, performative, brainwash}
970     {x, cc}
971     {protocol}
  
```

972  
 973 A **pair-element** containing more than one **token** is a **qualified-element**. In a **qualified-element**, the left-most **token**  
 974 must correspond to one of the top-level ICANN domain names, or to an **anonymous-token**. The latter is used to  
 975 introduce temporary, experimental **qualified-elements**.

976  
 977 With reference to the FQN (Fully Qualified Name) field in Table 2, if a **pair-element** contains only one **token**, it is an  
 978 **unqualified-element**. An **unqualified-element** is interpreted according to Table 2, as though its **token** were appended  
 979 to a tuple of tokens defining a FIPA standard name space, as follows:

980  
 981 For example, the **pair-element**

982

```

983     { {ontology}, {foo} }
  
```

984  
 985 is equivalent to,

986

```

987     { {org, fipa, standard, message, ontology}, {org, fipa, standard, message, ontology, foo} }
  
```

988  
 989 The natural encoding of a **pair-element** is as a sequence of text strings separated by dots. Thus the **pair-element**

990

```

991     { {org, fipa, standard, message, ontology}, {org, fipa, standard, message, ontology, foo} },
  
```

992  
 993 will naturally be encoded as:

994

```

995     org.fipa.standard.message.ontology org.fipa.standard.message.ontology.foo
  
```

996

997 **5.1.3 Services**

998 A **service** is defined in terms of a set of **actions** that it supports. Each action defines an interaction between the  
 999 **service** and the **agent** using the service. The semantics of these actions are described informally, to minimize  
 1000 assumptions about how they might be reified in a concrete specification.  
 1001

1002 **5.1.4 Format of Element Description**

1003 The architectural elements are described below. The format of the description is:

- 1004 • **Summary.** A summary of the element.
- 1005
- 1006 • **Relationship to other elements.** A complete description of the relationship of this element to the other  
 1007 architectural elements.
- 1008 • **Actions.** In the case of mandatory services, the actions that may be exerted by that service are described.  
 1009
- 1010 • **Description.** Additional description and context for the element, along with explanatory notes and examples.  
 1011  
 1012

1013 **5.1.5 Abstract Elements**

Element	Description	Fully Qualified Name (FQN)	Presence
<b>Action-status</b>	A status indication delivered by a service showing the success or failure of an action.	org.fipa.standard.service.action-status	Mandatory
<b>Agent</b>	A computational process that implements the autonomous, communicating functionality of an application.	org.fipa.standard.agent	Mandatory
<b>Agent-attribute</b>	A set of properties associated with an <b>agent</b> by inclusion in its <b>agent-directory-entry</b> .	org.fipa.standard.agent.agent-attribute	Optional
<b>Agent-communication-language</b>	A language with a precisely defined syntax semantics and pragmatics, which is the basis of communication between independently designed and developed <b>agents</b> .	org.fipa.standard.agent-communication-language	Mandatory
<b>Agent-directory-entry</b>	A composite entity containing the <b>name</b> , <b>agent-locator</b> , and <b>agent-attributes</b> of an <b>agent</b> .	org.fipa.standard.service.agent-directory-entry	Mandatory
<b>Agent-directory-service</b>	A <b>service</b> providing a shared information repository in which <b>agent-directory-entries</b> may be stored and queried	org.fipa.standard.service.agent-directory-service	Mandatory
<b>Agent-locator</b>	An <b>agent-locator</b> consists of the set of <b>transport-descriptions</b> used to communicate with an <b>agent</b> .	org.fipa.standard.service.message-transport-service.agent-locator	Mandatory
<b>Agent-name</b>	An opaque, non-forgeable token that uniquely identifies an <b>agent</b> .	org.fipa.standard.agent-name	Mandatory
<b>Content</b>	<b>Content</b> is that part of a <b>message</b> (communicative act) that represents the domain dependent component of the communication.	org.fipa.standard.message.content	Mandatory
<b>Content-language</b>	A language used to express the <b>content</b> of a communication between agents.	org.fipa.standard.message.content-language	Mandatory
<b>Encoding-representation</b>	A way of representing an abstract syntax in a particular concrete syntax. Examples of possible representations are XML, FIPA Strings, and	org.fipa.standard.encoding-service.encoding-representation	Mandatory

	serialized Java objects.		
<b>Encoding-service</b>	A <b>service</b> that encodes a <b>message</b> to and from a <b>payload</b> .	org.fipa.standard.service.encoding-service	Mandatory
<b>Envelope</b>	That part of a <b>transport-message</b> containing information about how to send the message to the intended recipient(s). May also include additional information about the message encoding, encryption, etc.	org.fipa.standard.transport-message.envelope	Mandatory
<b>Explanation</b>	An encoding of the reason for a particular <b>action-status</b> .	org.fipa.standard.service.explanation	Optional
<b>Message</b>	A unit of communication between two agents. A <b>message</b> is expressed in an <b>agent-communication-language</b> , and encoded in an <b>encoding-representation</b> .	org.fipa.standard.message	Mandatory
<b>Message-transport-service</b>	A <b>service</b> that supports the sending and receiving of <b>transport-messages</b> between <b>agents</b> .	org.fipa.standard.service.message-transport-service	Mandatory
<b>Ontology</b>	A set of symbols together with an associated interpretation that may be shared by a community of <b>agents</b> or software. An ontology includes a vocabulary of symbols referring to objects in the subject domain, as well as symbols referring to relationships that may be evident in the domain.	org.fipa.standard.message.ontology	Optional
<b>Payload</b>	A <b>message</b> encoded in a manner suitable for inclusion in a <b>transport-message</b> .	org.fipa.standard.transport-message.payload	Mandatory
<b>Service</b>	A service provided for <b>agents</b> and other <b>services</b> .	org.fipa.standard.service	Mandatory
<b>Service-address</b>	A <b>service-type</b> specific string containing transport addressing information.	org.fipa.standard.service.service-address	Mandatory
<b>Service-attributes</b>	A set of properties associated with a <b>service</b> by inclusion in its <b>service-directory-entry</b> .	org.fipa.standard.service.service-attributes	Optional
<b>Service-directory-entry</b>	A composite entity containing the <b>service-name</b> , <b>service-locator</b> , and <b>service-type</b> of a <b>service</b> .	org.fipa.standard.service.service-directory-entry	Mandatory
<b>Service-directory-service</b>	A directory service for registering and discovering <b>services</b> .	org.fipa.standard.service.service-directory-service	Mandatory
<b>Service-name</b>	A unique identifier of a particular <b>service</b> .	org.fipa.standard.service.service-name	Mandatory
<b>Service-location-description</b>	A <b>key-value-tuple</b> containing a <b>signature-type</b> a <b>service-signature</b> and <b>service-address</b> .	org.fipa.standard.service.service-location-description	Mandatory
<b>Service-locator</b>	A <b>service-locator</b> consists of the set of <b>service-location-descriptions</b> used to access a <b>service</b> .	org.fipa.standard.service.service-locator	Mandatory
<b>Service-root</b>	A set of <b>service-directory-entries</b> .	org.fipa.standard.service.service-root	Mandatory
<b>Service-signature</b>	A identifier that describes the binding signature for a <b>service</b> .	org.fipa.standard.service.service-type	Mandatory
<b>Service-type</b>	A <b>key-value tuple</b> describing the type of a <b>service</b> .	org.fipa.standard.service.service-type	Mandatory
<b>Signature-type</b>	A <b>key-value tuple</b> describing the type of <b>service-signature</b> .	org.fipa.standard.service.signature-type	
<b>Transport</b>	A <b>transport</b> is a particular data delivery service supported by a given <b>message-transport-service</b> .	org.fipa.standard.service.message-transport-	Mandatory

		service.transport	
<b>Transport-description</b>	A <b>transport-description</b> is a self describing structure containing a <b>transport-type</b> , a <b>transport-specific-address</b> and zero or more <b>transport-specific-properties</b> .	org.fipa.standard.service.message-transport-service.transport-description	Mandatory
<b>Transport-message</b>	The object conveyed from <b>agent</b> to <b>agent</b> . It contains the <b>transport-description</b> for the sender and receiver or receivers, together with a <b>payload</b> containing the <b>message</b> .	org.fipa.standard.transport-message	Mandatory
<b>Transport-specific-address</b>	A transport address specific to a given <b>transport-type</b>	og.fipa.standard.service.message-transport-service.transport-specific-address	Mandatory
<b>Transport-specific-property</b>	A <b>transport-specific-property</b> is a property associated with a <b>transport-type</b> .	org.fipa.standard.service.message-transport-service.transport-specific-property	Optional
<b>Transport-type</b>	A <b>transport-type</b> describes the type of transport associated with a <b>transport-specific-address</b> .	org.fipa.standard.service.message-transport-service.transport-type	Mandatory

l014  
l015  
l016

**Table 2:** Abstract Elements

l017

## 5.2 Agent

l018

### 5.2.1 Summary

l019  
l020  
l021  
l022

An **agent** is a computational process that implements the autonomous, communicating functionality of an application. Typically, agents communicate using an **Agent Communication Language**. A concrete instantiation of **agent** is a mandatory element of every concrete instantiation of the FIPA Abstract Architecture.

l023

### 5.2.2 Relationships to Other Elements

l024  
l025  
l026  
l027  
l028  
l029  
l030  
l031  
l032  
l033  
l034  
l035  
l036

**Agent** has an **agent-name**

**Agent** may have **agent-attributes**

**Agent** has an **agent-locator**, which lists the **transport-descriptions** for that agent

**Agent** may be sent messages via a **transport-description**, using the **transport** corresponding to the **transport-description**

**Agent** may send a **transport-message** to one or more **agents**

**Agent** may register with one or more **agent-directory-services**

**Agent** may have an **agent-directory-entry**, which is registered with an **agent-directory-service**

**Agent** may modify its **agent-directory-entry** as registered by an **agent-directory-service**

**Agent** may deregister its **agent-directory-entry** from an **agent-directory-service**.

**Agent** may search for an **agent-directory-entry** registered within an **agent-directory-service**

**Agent** is addressable by the mechanisms described in its **transport-descriptions** in its **agent-directory-entry**

l037

### 5.2.3 Description

l038  
l039  
l040  
l041  
l042  
l043

In a concrete instantiation of the FIPA Abstract Architecture, an **agent** may be realized in a variety of ways, for example as a Java component, a COM object, a self-contained Lisp program, or a TCL script. It may execute as a native process on some physical computer under an operating system, or be supported by an interpreter such as a Java Virtual Machine or a TCL system. The relationship between the **agent** and its computational context is specified by the agent lifecycle. The FIPA Abstract Architecture does not address the lifecycle of agents as it is often handled differently in discrete computational environments. Realizations of the FIPA Abstract Architecture *must* address these issues.

I044

I045 **5.3 Agent Attribute**I046 **5.3.1 Summary**

I047 An **agent-attribute** is one of a set of optional attributes that form part of the **agent-directory-entry** for an **agent**. They  
I048 are represented as **key-value-pairs** within the **key-value-tuple** that makes up the **agent-directory-entry**. The purpose  
I049 of the attributes is to allow searching for **agent-directory-entries** that match **agents** of interest. A concrete instantiation  
I050 of **agent-attribute** is an optional element of concrete instantiations of the FIPA Abstract Architecture.  
I051

I052 **5.3.2 Relationships to Other Elements**

I053 An **agent-directory-entry** may have zero or more **agent-attributes**

I054 An **agent-attribute** describes aspects of an **agent**  
I055

I056 **5.3.3 Description**

I057 When an **agent** registers an **agent-directory-entry**, the **agent-directory-entry** may optionally contain **key-value-pairs**  
I058 that offer additional description of the **agent**. The values might include information about costs of using the **agent** or  
I059 **service**, features available, **ontologies** understood, names that the service is commonly known by, or any other data  
I060 that agents deem useful. This information can then be used to enhance search criteria exerted by **agents** on the **agent-**  
I061 **directory-service**.  
I062

I063 In practice, when defining realizations of this FIPA Abstract Architecture, domain specific specifications should exist  
I064 describing the **agent-attributes** to be used. This eases requirements for interoperation.  
I065

I066 **5.4 Agent Communication Language**I067 **5.4.1 Summary**

I068 An **agent-communication-language** (ACL) is a language in which communicative acts can be expressed and hence  
I069 **messages** constructed. A concrete instantiation of **agent-communication-language** is a mandatory element of every  
I070 concrete instantiation of the FIPA Abstract Architecture.  
I071

I072 **5.4.2 Relationships to Other Elements**

I073 **Message** is written in an **agent-communication-language**

I074 **5.4.3 Description**

I075 FIPA ACL is described in detail in [FIPA00061] and the FIPA communicative acts in [FIPA00037].  
I076

I077 **5.5 Agent Directory Entry**I078 **5.5.1 Summary**

I079 An **agent-directory-entry** is a **key-value tuple** consisting of the **agent-name**, an **agent-locator**, and zero or more  
I080 **agent-attributes**. An **agent-directory-entry** refers to an **agent**; in some implementations this agent will provide a  
I081 **service**. A concrete instantiation of **agent-directory-entry** is a mandatory element of every concrete instantiation of the  
I082 FIPA Abstract Architecture.  
I083

## 5.5.2 Relationships to Other Elements

**Agent-directory-entry** contains the **agent-name** of the **agent** to which it refers

**Agent-directory-entry** contains one **agent-locator** of the **agent** to which it refers. The **agent-locator** contains one or more **transport-descriptions**

**Agent-directory-entry** is managed by and available from an **agent-directory-service**

**Agent-directory-entry** may contain **agent-attributes**

## 5.5.3 Description

Different realizations that use a common **agent-directory-service**, are strongly encouraged to adopt a common schema for storing **agent-directory-entries**. (This in turn implies the use of a common representation for **agent-locators**, **transport-descriptions**, **agent-names**, and so forth.)

**Agents** are not required to publish an **agent-directory-entry**. It is possible for agents to communicate with agents that have provided a **transport-description** through a private mechanism. For example, an agent involved in a negotiation may receive a **transport-description** directly from the party with which it is negotiating. This falls outside the scope of the using the **agent-directory-services** mechanisms.

## 5.6 Agent Directory Service

### 5.6.1 Summary

An **agent-directory-service** is a shared information repository in which **agents** may publish their **agent-directory-entries** and in which they may search for **agent-directory-entries** of interest. A concrete instantiation of **agent-directory-service** is a mandatory element of every concrete instantiation of the FIPA Abstract Architecture.

### 5.6.2 Relationships to Other Elements

**Agent** may register its **agent-directory-entry** with an **agent-directory-service**

**Agent** may modify its **agent-directory-entry** as registered by an **agent-directory-service**

**Agent** may deregister its **agent-directory-entry** from an **agent-directory-service**

**Agent** may search for an **agent-directory-entry** registered within an **agent-directory-service**

An **agent-directory-service** must accept valid, authorized requests to register, deregister, modify and identify agent descriptions

An **agent-directory-service** must accept valid, authorized requests for searching

### 5.6.3 Actions

An **agent-directory-service** supports the following actions.

#### 5.6.3.1 Register

An **agent** may **register** an **agent-directory-entry** with an **agent-directory-service**. The semantics of this action are as follows:

The **agent** provides an **agent-directory-entry** that is to be registered. In initiating the action, the **agent** may control the scope of the action. Different reifications may handle this in different ways. The action may be addressed to a particular instance of an **agent-directory-service**, or the action may be qualified with some kind of scope parameter.

If the action is successful, the **agent-directory-service** will return an **action-status** indicating success. Following a successful **register**, the **agent-directory-service** will support legal **modify**, **deregister**, and **search** actions with respect to the registered **agent-directory-entry**.

If the action is unsuccessful, the **agent-directory-service** will return an **action-status** indicating failure, together with an **explanation**. The range of possible explanations is, in general, specific to a particular reification. However a conforming reification must, where appropriate, distinguish between the following explanations:

- *Duplicate*. The new entry “clashed” with some existing **agent-directory-entry**. Normally this would only occur if an existing **agent-directory-entry** had the same **agent-name**, but specific reifications may enforce additional requirements.
- *Access*. The **agent** making the request is not authorized to perform the specified action.
- *Invalid*. The **agent-directory-entry** is invalid in some way.

#### 5.6.3.2 Modify

An **agent** may **modify** an **agent-directory-entry** that has been registered with an **agent-directory-service**. The semantics of this action are as follows:

The **agent** provides an **agent-directory-entry** which contains the same **agent-name** as the entry to be modified. In initiating the action, the **agent** may control the scope of the action. Different reifications may handle this in different ways. The action may be addressed to a particular instance of an **agent-directory-service**, or the action may be qualified with some kind of scope parameter.

The **agent-directory-service** verifies that the argument is a valid **agent-directory-entry**. It then searches for a registered **agent-directory-entry** with the same **agent-name**. If it does not find one, the action fails and an **explanation** provided. Otherwise it modifies the existing **agent-directory-entry** by examining each **key-value pair** in new **agent-directory-entry**. If the **value** is non-null, the **pair** is added to the new entry, replacing any existing **pair** with the same **key**. If the **value** is null, any existing **pair** with the same **key** is removed from the entry.

If the action is successful, the **agent-directory-service** will return an **action-status** indicating success, together with an **agent-directory-entry** corresponding to the new contents of the registered entry. Following a successful **register**, the **agent-directory-service** will support legal **modify**, **deregister**, and **search** actions with respect to the modified **agent-directory-entry**.

If the action is unsuccessful, the **agent-directory-service** will return an **action-status** indicating failure, together with an **explanation**. The range of possible explanations is, in general, specific to a particular reification. However a conforming reification must, where appropriate, distinguish between the following explanations:

- *Not-found*. The new entry did not match any existing **agent-directory-entry**. This would only occur if no existing **agent-directory-entry** had the same **agent-name**.
- *Access*. The **agent** making the request is not authorized to perform the specified action.
- *Invalid*. The new **agent-directory-entry** is invalid in some way.

#### 5.6.3.3 Deregister

An **agent** may **deregister** an **agent-directory-entry** from an **agent-directory-service**. The semantics of this action are as follows:

The **agent** provides an **agent-directory-entry** which has the same **agent-name** as that which is to be deregistered. (The rest of the **agent-directory-entry** is not significant.) In initiating the action, the **agent** may control the scope of the action. Different reifications may handle this in different ways. The action may be addressed to a particular instance of an **agent-directory-service**, or the action may be qualified with some kind of scope parameter.



If the action is successful, the **agent-directory-service** will return an **action-status** indicating success. Following a successful **deregister**, the **agent-directory-service** will no longer support **modify**, **deregister**, and **search** actions with respect to the registered **agent-directory-entry**.

If the action is unsuccessful, the **agent-directory-service** will return an **action-status** indicating failure, together with an **explanation**. The range of possible explanations is, in general, specific to a particular reification. However a conforming reification must, where appropriate, distinguish between the following explanations:

- *Not-found*. The new entry did not match any existing **agent-directory-entry**. This would only occur if no existing **agent-directory-entry** had the same **agent-name**.
- *Access*. The **agent** making the request is not authorized to perform the specified action.
- *Invalid*. The **agent-directory-entry** is invalid in some way.

#### 5.6.3.4 Search

An **agent** may **search** an **agent-directory-service** to locate **agent-directory-entries** of interest. The semantics of this action are as follows:

The **agent** provides an **agent-directory-entry** that is to be treated as a search pattern. In initiating the action, the **agent** may control the scope of the action. Different reifications may handle this in different ways. The action may be addressed to a particular instance of an **agent-directory-service**, or the action may be qualified with some kind of scope parameter.

The directory service verifies that the argument is a valid **agent-directory-entry**. It then searches for registered **agent-directory-entries** that satisfy the search criteria. A registered entry satisfies the search criteria if there is a match between each **key-value pair** in the submitted entry. The semantics of “matching” are likely to be reification-dependent; at a minimum, there should be support for matching on the *same* value and on *any* value.

If the action is successful, the **agent-directory-service** will return an **action-status** indicating success, together with a set of **agent-directory-entries** that satisfy the search pattern. The mechanism by which multiple entries are returned, and whether or not an agent may limit or terminate the delivery of results, is not defined in the FIPA Abstract Architecture and is therefore reification dependent.

If the action is unsuccessful, the **agent-directory-service** will return an **action-status** indicating failure, together with an **explanation**. The range of possible explanations is, in general, specific to a particular reification. However a conforming reification must, where appropriate, distinguish between the following explanations:

- *Not-found*. The search pattern did not match any existing **agent-directory-entry**.
- *Access*. The **agent** making the request is not authorized to perform the specified action.
- *Invalid*. The **agent-directory-entry** is invalid in some way.

#### 5.6.4 Description

An **agent-directory-service** may be implemented in a variety of ways, using a general-purpose scheme such as X.500 or some private agent-specific mechanism. Typically an **agent-directory-service** uses some hierarchical or federated scheme to support scalability. A concrete implementation may support such mechanisms automatically, or may require each **agent** to manage its own directory usage.

Different realizations that are based on the same underlying mechanism are strongly encouraged to adopt a common schema for storing **agent-directory-entries**. This in turn implies the use of a common representation for **names**, **locations**, and so forth. For example, considering multiple implementations of directory services in LDAP, it would be

useful for all of the implementations to interoperate because they are using the same schemas. Similarly, if there were multiple implementations in NIS, they would need the same NIS data representation to interoperate.

The **agent-directory-service** described here does not have the full flexibility found in the *directory-facilitator* (see [FIPA00023]), of existing FIPA specifications. In practice, implementing the search capabilities of the existing *directory-facilitator* is not feasible with most directory systems, that is, LDAP, X.500 and NIS. There seems to be a need for a Lookup Service, which is here called the **agent-directory-service**, which allows an agent to identify and get the **transport-description** for another agent, as well as a more complex search system, which can resolve complex searches. The former system, which supports a single level of search on attributes, is the **agent-directory-service**. The latter might be implemented as a broker, and might be implemented in systems that allow for arbitrary complexity and nesting such as Prolog or LISP. This division of functionality reflects the experience of many implementations, where there is a “quick” lookup service and a more robust, but slower complex search service.

## 5.7 Agent Locator

### 5.7.1 Summary

An **agent-locator** consists of the set of **transport-descriptions**, which can be used to communicate with an **agent**. An **agent-locator** may be used by a **message-transport-service** to select a **transport** for communicating with the **agent**, such as an agent or a **service**. **Agent-locators** can also contain references to software interfaces. This can be used when a **service** can be accessed programmatically, rather than via a messaging model. A concrete instantiation of **agent-locator** is a mandatory element of every concrete instantiation of the FIPA Abstract Architecture.

### 5.7.2 Relationships to Other Elements

**Agent-locator** is a member of **agent-directory-entry**, which is registered with an **agent-directory-service**

**Agent-locator** contains one or more **transport-descriptions**

**Agent-locator** is used by **message-transport-service** to select a **transport**

### 5.7.3 Description

The **agent-locator** serves as a basic building block for managing address and transport resolution. An **agent-locator** includes all of the **transport-descriptions** that may be used to contact the related **agent** or **service**.

## 5.8 Agent Name

### 5.8.1 Summary

An **agent-name** is a means to identify an **agent** to other **agents** and **services**. It is expressed as a **key-value-pair**, is unchanging (that is, it is immutable), and unique under normal circumstances of operation. A concrete instantiation of **agent-name** is a mandatory element of every concrete instantiation of the FIPA Abstract Architecture.

### 5.8.2 Relationships to Other Elements

**Agent** has one **agent-name**

**Message** must contain the **agent-names** of the sending and receiving **agents**

**Agent-directory-entry** must contain the **agent-name** of the **agent** to which it refers

### 5.8.3 Description

An **agent-name** is an identifier (for example, a GUID, Globally Unique Identifier) that is associated with the **agent** at creation time or initial registration. Name issuing should occur in a way that tends to ensure global uniqueness. This

may be achieved, for example, through employing an algorithm that generates the name with a sufficient degree of stochastic complexity such as to induce a vanishingly small chance of a name collision.

The **agent-name** will typically be issued by another entity or service. Once issued, the unique identifier should not be dependent upon the continued existence of the third party that issued it. Ideally through, there will be some mechanism available that is capable of verifying name authenticity.

Beyond this durable relationship with the **agent** it denotes, the **agent-name** should have no semantics. It should not encode any actual properties of the agent itself, nor should it disclose related information such as agent **transport-description** or **location**. It should also not be used as a form of authentication of the agent. Authentication services must rely on the combination of a unique identifier plus additional information (for example, a certificate that makes the name tamper-proof and verifies its authenticity through a trusted third party).

A useful role of an **agent-name** is to support the use of BDI (belief/desire/intention) models within a multi-agent system. The **agent-name** can be used to correlate propositional attitudes with the particular **agents** that are believed to hold those attitudes.

**Agents** may also have “well-known” or “common” or “social” names, or “nicknames”, or aliases by which they are popularly known. These names are often used to commonly identify an agent. For example, within an agent system, there may be a broker service for finding “air-fare” agents. The convention within this system is that this agent is nicknamed “Air-fare broker”. In practice, this is implemented as an **agent-attribute**. The attribute could have the key “Nickname” with the value “Air-fare broker”. However, the actual name of the agent providing the function is unique, to maintain the ability to distinguish between an agent providing that function in one cluster of agents, and another agent providing the same function in a different cluster of agents.

## 5.9 Content

### 5.9.1 Summary

**Content** is that part of a **message** (where a message is a communicative act) that represents the component of the communication that refers to a domain or topic area. **Content** is expressed using **content-languages**. Expressions contained within the content, or the entire content expression itself, can be put into context by one or more **ontologies**. A concrete instantiation of **content** is a mandatory element of every concrete instantiation of the FIPA Abstract Architecture.

### 5.9.2 Relationships to Other Elements

**Content** is expressed in a **content-language**

**Content** may reference one or more ontologies referenced in the **ontology** attribute of a **message**

**Content** is part of a **message**

### 5.9.3 Description

The **content** of a **message** is the propositional content of a speech act. It does not refer to everything within the message, including delimiters, as it does with some languages, but rather the domain specific component only.

## 5.10 Content Language

### 5.10.1 Summary

A **content-language** is a language used to express the **content** of a communication between agents. FIPA allows considerable flexibility in the choice, form and encoding of a content language. However, content languages are required to be able to represent propositions, actions and terms (names of individual entities) if they are to make full use

I327 of the standard FIPA performatives. A concrete instantiation of **content-language** is a mandatory element of every  
 I328 concrete instantiation of the FIPA Abstract Architecture.  
 I329

### I330 5.10.2 Relationships to Other Elements

I331 **Content** is expressed in a **content-language**  
 I332 **FIPA-SL** is an example of a **content-language**  
 I333 **FIPA-RDF** is an example of a **content-language**  
 I334 **FIPA-KIF** is an example of a **content-language**  
 I335 **FIPA-CCL** is an example of a **content-language**  
 I336

### I337 5.10.3 Description

I338 The FIPA content language library is described in detail in [FIPA00007].  
 I339

## I340 5.11 Encoding Representation

### I341 5.11.1 Summary

I342 An **encoding-representation** is a way of representing a **message** in a particular transport encoding. Examples of  
 I343 possible representations are XML, Bit-efficient encoding and serialized Java objects. Typically an **encoding-**  
 I344 **representation** is applied to the **payload** component of a **transport-message** to prepare it for transmission. A  
 I345 concrete instantiation of **encoding-representation** is a mandatory element of every concrete instantiation of the FIPA  
 I346 Abstract Architecture.  
 I347

### I348 5.11.2 Relationships to Other Elements

I349 **Payload** and the **message** and **content** contained within is encoded according to an **encoding-representation**  
 I350 **Encoding-representation** is used by an **encoding-service**

### I351 5.11.3 Description

I352 The way in which a message is encoded depends on the concrete architecture. If a particular architecture supports only  
 I353 one form of encoding, no additional information is required. If multiple forms of encoding are supported, messages may  
 I354 be made self-describing using techniques such as format tags, object introspection, and XML DTD references.  
 I355

## I356 5.12 Encoding Service

### I357 5.12.1 Summary

I358 An **encoding-service** is a **service**. It provides the facility to encode a **message** or **content** into an **encoding-**  
 I359 **representation** for use as a **transport-message payload**. This procedure must also function in reverse for decoding  
 I360 **transport-messages**. A concrete instantiation of **encoding-service** is a mandatory element of every concrete  
 I361 instantiation of the FIPA Abstract Architecture.  
 I362

### I363 5.12.2 Relationships to Other Elements

I364 **Encoding-service** converts a message into an **encoding-representation**  
 I365 **Encoding-service** converts an **encoding-representation** into a **message**  
 I366 **Encoding-service** can encode a **message** and message **content** as a **payload**  
 I367 **Encoding-service** can decode a **payload** into a **message**  
 I368 **Encoding-service** is a **service**  
 I369

### 1370 5.12.3 Actions

1371 An **encoding-service** supports the following actions.

1372

#### 1373 5.12.3.1 Transform Encoding/Decoding

1374 An **agent** uses an **encoding-service** to convert a **message** to a **payload** and vice versa. That is, between **message**  
 1375 representation and a particular **encoding-representation**. It does this by invoking the **transform-encoding** action of  
 1376 the **encoding-service**. The semantics of this action are as follows:

1377

1378 To encode a message, the **agent** provides the **message** to the **encoding-service**, along with the type of encoding to  
 1379 be used. The encodings offered by the service may be queried using the **query-available-encodings** action described  
 1380 below. Encoding is context sensitive to ensure that appropriate **encoding-representations** are applied to specific  
 1381 message components. That is, a **message** may be encoded in XML representation, but the **payload** that contains that  
 1382 **message** must be encoded for the transport to be used.

1383

1384 To decode a message, the encoded **payload** component of a **transport-message** is handed off to the **encoding-**  
 1385 **service** which decodes it into the **message**.

1386

1387 If the action is successful, the **encoding-service** will return an **action-status** indicating success, together with the  
 1388 encoded message component.

1389

1390 If the action is unsuccessful, the **encoding-service** will return an **action-status** indicating failure, together with an  
 1391 **explanation**. The range of possible explanations is, in general, specific to a particular reification. However a conforming  
 1392 reification must, where appropriate, distinguish between the following explanations:

1393

- 1394 • *Access*. The **agent** making the request is not authorized to perform the specified action.

1395

- 1396 • *Invalid Message*. The **message** to be encoded is invalid in some way.

1397

- 1398 • *Invalid Payload*. The **payload** to be decoded is invalid in some way.

1399

- 1400 • *Invalid Encoding*. The **encoding-representation** selected is unavailable.

1401

#### 1402 5.12.3.2 Query Encoding Representation

1403 An **agent** may query the **encoding-service** to resolve the **encoding-representation** with which the supplied **payload**  
 1404 has been encoded. It does this by invoking the **query-encoding-representation** action of the **encoding-transform-**  
 1405 **service**.

1406

1407 If the action is successful, the **encoding-service** will return an **action-status** indicating success. Additionally, the  
 1408 **encoding-representation** identity is returned.

1409

1410 If the action is unsuccessful, the **encoding-service** will return an **action-status** indicating failure, together with an  
 1411 **explanation**. The range of possible explanations is, in general, specific to a particular reification. However a conforming  
 1412 reification must, where appropriate, distinguish between the following explanations:

1413

- 1414 • *Access*. The **agent** making the request is not authorized to perform the specified action.

1415

- 1416 • *Invalid*. The encoded **payload** is invalid in some way.

1417

- 1418 • *Unidentifiable*. The **encoding-representation** is unidentifiable by the **encoding-service**.

1419

#### 1420 5.12.3.3 Query Available Encodings

1421 An **agent** may query the **encoding-service** to provide a list of all **encoding-representations** known by the service. It  
 1422 does this by invoking the **query-available-encodings** action of the **encoding-service**.

I423

I424

If the action is successful, the **encoding-service** will return an **action-status** indicating success. Additionally, the available **encoding-representations** are supplied.

I425

I426

I427

I428

If the action is unsuccessful, the **encoding-service** will return an **action-status** indicating failure, together with an **explanation**. The range of possible explanations is, in general, specific to a particular reification. However a conforming reification must, where appropriate, distinguish between the following explanations:

I429

I430

I431

- *Access*. The **agent** making the request is not authorized to perform the specified action.

I432

I433

#### 5.12.4 Description

I434

I435

I436

I437

A concrete specification must realize a reification of the **encoding-service** in order that **agents** can encode and decode **encoding-representations** from and into a **message** representation, respectively. Every individual **encoding-representation** will require a specific codec for transforming to and from any **message** and **content** representation.

I438

### 5.13 Envelope

I439

#### 5.13.1 Summary

I440

I441

I442

I443

I444

I445

An **envelope** is a **key-value tuple** that contains message delivery and encoding information. It is included in the **transport-message**, and includes elements such as the sender and receiver(s) **transport-descriptions**. It also contains the **encoding-representation** for the **message** and optionally, other message information such as validation and security data, or additional routing data. A concrete instantiation of **envelope** is a mandatory element of every concrete instantiation of the FIPA Abstract Architecture.

I446

#### 5.13.2 Relationship to Other Elements

I447

I448

I449

I450

I451

I452

I453

**Envelope** contains **transport-descriptions**

**Envelope** optionally contains validity data (such as security keys for message validation)

**Envelope** optionally contains security data (such as security keys for message encryption or decryption)

**Envelope** optionally contains routing data

**Envelope** contains an **encoding-representation** for the **payload** being transported

**Envelope** is contained in **transport-message**

I454

#### 5.13.3 Description

I455

I456

I457

I458

In the realization of the envelope data, the realization can specify envelope elements that are useful in the particular realization. These can include specialized routing data, security related data, or other data that can assist in the proper handling of the encoded **message**.

I459

### 5.14 Explanation

I460

#### 5.14.1 Summary

I461

I462

I463

I464

An encoding of the reason for a particular **action-status**. When an action exerted by a service leads to a failure response, the **explanation** is an optional descriptor giving the reason why the particular action failed. A concrete instantiation of **explanation** is an optional element of every concrete instantiation of the FIPA Abstract Architecture.

I465

#### 5.14.2 Relationship to Other Elements

I466

I467

**Explanation** qualifies an **action-status**.

### 1468 5.14.3 Description

1469 In terms of the three explicit services described by the FIPA Abstract Architecture, the **agent-directory-service**,  
 1470 **service-directory-service** and **message-transport-service**, the relevant action **explanations** are listed in the  
 1471 appropriate element subsections.  
 1472

## 1473 5.15 Message

### 1474 5.15.1 Summary

1475 A **message** is an individual unit of communication between two or more **agents**. A **message** logically arises from and  
 1476 programmatically corresponds to a communicative act, in the sense that a **message** encodes the communicative act.  
 1477 Communicative acts can be recursively composed, so while the outermost act is directly encoded by the **message**,  
 1478 taken as a whole a given **message** may represent multiple individual communicative acts. This is then encoded using  
 1479 an **encoding-representation** and transmitted between **agents** over a **transport**. A **message** includes an indication of  
 1480 the type of communicative act (for example, *inform*, *request*), the **agent-names** of the sender and receiver **agents**,  
 1481 the **ontology** or **ontologies** to be used in interpreting the **content**, and the **content** of the **message** itself. A **message**  
 1482 does not include any transport or addressing information. It is transmitted from sender to receiver(s) by being encoded  
 1483 as the **payload** of a **transport-message**, which includes this information. A concrete instantiation of **message** is a  
 1484 mandatory element of every concrete instantiation of the FIPA Abstract Architecture.  
 1485

### 1486 5.15.2 Relationships to other elements

1487 **Message** is written in an **agent-communication-language**

1488 **Message** contains **content**

1489 **Message** has an **ontology** attribute

1490 **Message** includes an **agent-name** corresponding to the sender of the message

1491 **Message** includes one or more **agent-name** corresponding to the receiver or receivers of the message

1492 **Message** is sent by an **agent**

1493 **Message** is received by one or more **agents**

1494 **Message** is transmitted as the **payload** of a **transport-message**

1495 **Message** is transformed to/from a **payload** by an **encoding-service**  
 1496

### 1497 5.15.3 Description

1498 The FIPA communicative acts library is described in detail in [FIPA00037].  
 1499

## 1500 5.16 Message Transport Service

### 1501 5.16.1 Summary

1502 A **message-transport-service** is a **service**. It supports the sending and receiving of **transport-messages** between  
 1503 **agents**. A concrete instantiation of **message-transport-service** is a mandatory element of every concrete instantiation  
 1504 of the FIPA Abstract Architecture.  
 1505

### 1506 5.16.2 Relationships to Other Elements

1507 **Message-transport-service** may be invoked to send a **transport-message** to an **agent**

1508 **Message-transport-service** selects a **transport** based on the recipient's **transport-description**

1509 **Message-transport-service** is a **service**  
 1510

### 1511 5.16.3 Actions

1512 A **message-transport-service** supports the following actions.

I513

## I514 5.16.3.1 Bind Transport

I515 An **agent** may form a contract with the **message-transport-service** to send and receive messages using a particular  
 I516 **transport**. It does this by invoking the **bind-transport** action of the **message-transport-service**. The semantics of this  
 I517 action are as follows:

I518

I519 The **agent** provides a **transport-description** corresponding to the **transport** to be used. (In initiating the action, the  
 I520 **agent** may control the scope of the action. Different reifications may handle this in different ways. The action may be  
 I521 addressed to a particular instance of a **agent-directory-service**, or the action may be qualified with some kind of scope  
 I522 parameter.) Some or all of the elements of the **transport-description** may be missing, in which case the **transport-**  
 I523 **service** may supply appropriate values. The **transport-service** attempts to create a usable transport-end-point for the  
 I524 chosen **transport-type**, and constructs a **transport-specific-address** corresponding to this end-point.

I525

I526 If the action is successful, the **message-transport-service** will return an **action-status** indicating such, together with a  
 I527 **transport-description** that has been completely filled in and is usable for message transport. The agent may use this  
 I528 **transport-description** as part of its **agent-description**, and in constructing a **transport-message**.

I529

I530 Following a successful **bind-transport**, the **message-transport-service** will attempt to deliver any messages received  
 I531 over the transport end-point to the **agent**.

I532

I533 If the action is unsuccessful, the **message-transport-service** will return an **action-status** indicating failure, together  
 I534 with an **explanation**. The range of possible explanations is, in general, specific to a particular reification. However a  
 I535 conforming reification must, where appropriate, distinguish between the following explanations:

I536

I537 • *Access*. The **agent** making the request is not authorized to perform the specified action.

I538

I539 • *Invalid*. The **transport-description** is invalid in some way.

I540

## I541 5.16.3.2 Unbind Transport

I542 An **agent** may terminate a contract with the **message-transport-service** to send and receive messages using a  
 I543 particular **transport**. It does this by invoking the **unbind-transport** action of the **message-transport-service**. The  
 I544 semantics of this action are as follows:

I545

I546 The **agent** provides a **transport-description** returned by a previous **bind-transport** action. (In initiating the action, the  
 I547 **agent** may control the scope of the action. Different reifications may handle this in different ways. The action may be  
 I548 addressed to a particular instance of a **agent-directory-service**, or the action may be qualified with some kind of scope  
 I549 parameter.) The **transport-service** identifies the corresponding transport-end-point and releases all transport related  
 I550 resources.

I551

I552 If the action is successful, the **message-transport-service** will return an **action-status** indicating success. Additionally,  
 I553 the **message-transport-service** will no longer attempt to deliver any messages to the **agents** associated with the  
 I554 defunct transport binding.

I555

I556 If the action is unsuccessful, the **message-transport-service** will return an **action-status** indicating failure, together  
 I557 with an **explanation**. The range of possible explanations is, in general, specific to a particular reification. However a  
 I558 conforming reification must, where appropriate, distinguish between the following explanations:

I559

I560 • *Not-found*. The **transport-description** does not correspond to a bound **transport**.

I561

I562 • *Access*. The **agent** making the request is not authorized to perform the specified action.

I563

I564 • *Invalid*. The **transport-description** is invalid in some way.

I565



### 5.16.3.3 Send Message

An **agent** may send a **transport-message** to another agent by invoking the **send-message** action of a **message-transport-service**. The semantics of this action are as follows:

The **agent** provides a **transport-message** to be sent. The **message-transport-service** examines the **envelope** of the message to determine how it should be handled.

If the action is successful, the **message-transport-service** will return an **action-status** indicating success. Following a successful **send-message**, the **message-transport-service** will make attempt to deliver the message to the recipient. However the successful completion of the **send-message** action should not be interpreted as indicating that delivery has been achieved.

If the action is unsuccessful, the **message-transport-service** will return an **action-status** indicating failure, together with an **explanation**. The range of possible explanations is, in general, specific to a particular reification. However a conforming reification must, where appropriate, distinguish between the following explanations:

- *Access*. The **agent** making the request is not authorized to perform the specified action.
- *Invalid*. The **transport-message** is invalid in some way.

### 5.16.3.4 Deliver Message

A **message-transport-service** may deliver a **transport-message** to an **agent** by invoking the **deliver-message** action of the **agent**. The semantics of this action are identical to those given for the **bind-transport** action.

## 5.16.4 Description

A concrete specification need not realize the notion of **message-transport-service** so long as the basic service provisions are satisfied. In the case of a concrete specification based on a single **transport**, the agent may use native operating system services or other mechanisms to achieve this service.

## 5.17 Ontology

### 5.17.1 Summary

An **Ontology** provides a vocabulary for representing and communicating knowledge about some topic and a set of relationships and properties that hold for the entities denoted by that vocabulary. A concrete instantiation of **ontology** is an optional element of concrete instantiations of the FIPA Abstract Architecture.

### 5.17.2 Relationships to Other Elements

**Message** has an **ontology** attribute that can contain references to one or more ontologies

**Content** is expressed in the context of one or more ontologies using the **ontology** message attribute

### 5.17.3 Description

An **ontology** is a set of symbols together with an associated interpretation that may be shared by a community of **agents** or **services**. An **ontology** includes a vocabulary of symbols referring to objects and relationships in the subject domain. An **ontology** also typically includes a set of logical statements expressing the constraints existing in the domain and restricting the interpretation of the vocabulary.

**Ontologies** must be nameable, discoverable and manageable.

## I613 5.18 Payload

### I614 5.18.1 Summary

I615 A **payload** is a **message** encoded in a manner suitable for inclusion in a **transport-message**. A concrete instantiation  
I616 of **payload** is a mandatory element of every concrete instantiation of the FIPA Abstract Architecture.  
I617

### I618 5.18.2 Relationships to Other Elements

I619 **Payload** is an encoded **message**

I620 **Transport-message** contains a **payload**

I621 **Payload** is encoded according to an **encoding-representation**  
I622

### I623 5.18.3 Description

I624 See Section 5.33.2 which describes the **transport-message** element.  
I625

## I626 5.19 Service

### I627 5.19.1 Summary

I628 A **service** is a functional coherent set of mechanisms that support the operation of **agents**, and other **services**. These  
I629 are services used in the provisioning of *agent environments* and may be used as the basis for interoperation. A  
I630 concrete instantiation of **service** is a mandatory element of every concrete instantiation of the FIPA Abstract  
I631 Architecture.  
I632

I633 Note: A service in this specification should not be confused with the service or services provided by agents  
I634 implemented within instantiations of the architecture.  
I635

### I636 5.19.2 Relationships to Other Elements

I637 **Service** has a public set of behaviours and actions

I638 **Service** has a service description

I639 **Service** can be accessed by **agents**

I640 **Agent-directory-service** is an instance of **service**, and is mandatory

I641 **Message-transport-service** is an instance of **service**, and is mandatory

I642 **Service-directory-service** is an instance of **service**, and is mandatory

I643 A **service** has a **service-type**, a **service-name**, a **service-locator**

I644 A **service** can have a **service-directory-entry** in a **service-directory-service** containing the **service-name**, **service-**  
I645 **type** and **service-locator**  
I646

### I647 5.19.3 Description

I648 FIPA will administer the name space of **services** according to the description given in Section 5.1.2. This is part of the  
I649 concrete realization process. Having a clear naming scheme for the **services** will allow for optimised implementation  
I650 and management of **services**.  
I651

## I652 5.20 Service Address

### I653 5.20.1 Summary

I654 A **service-type** specific string that indicates how to bind to a particular **service**. A concrete instantiation of **service-**  
I655 **address** is a mandatory element of every concrete instantiation of the FIPA Abstract Architecture.

## 5.20.2 Relationships to Other Elements

**Service-address** provides an address of a **service** that can be bound to by an **agent** or **service**  
**Services-locators** contain one or more **service-addresses**  
 A **service-address** is qualified by a **signature-type**

## 5.20.3 Description

The **service address** is a **service-type** specific string that indicates how to bind to a **service**. The precise means by which this binding is made is implementation and **service-type** specific; for example a **transport-service** that is bound via RMI objects may give an RMI address of the Java object to bind to and thereby access the **transport-service**. Alternatively, an **agent-directory-service** that is accessed via a TCP/IP socket may give a string containing the hostname and port number.

## 5.21 Service Attributes

### 5.21.1 Summary

**Service-attributes** are optional attributes that are part of the **service-directory-entry** for a **service**. They are represented as **key-value-pairs** within the **key-value-tuple** that makes up the **service-directory-entry**. The purpose of the attributes is to allow searching for **service-directory-entries** that match **services** of interest. A concrete instantiation of **service-attributes** is an optional element of concrete instantiations of the FIPA Abstract Architecture.

### 5.21.2 Relationships to Other Elements

A **service-directory-entry** may have zero or more **service-attributes**  
**Service-attributes** describe aspects of a **service**

### 5.21.3 Description

When a **service** registers a **service-directory-entry**, the **service-directory-entry** may optionally contain **key-value-pairs** that offer additional description of the **service**. The values might include information about costs of using the **service**, features available, **ontologies** understood, names that the **service** is commonly known by, or any other relevant data. This information can then be used to enhance the search criteria by which **services** are discovered in the **service-directory-service**.

In practice, when defining realizations of this FIPA Abstract Architecture, domain specific specifications should exist describing the **service-attributes** to be used. This eases requirements for interoperation.

## 5.22 Service Directory Entry

### 5.22.1 Summary

A **service-directory-entry** is a **key-value-tuple** consisting of a **service-name**, **service-type**, **service-locator** and zero or more **service-attributes**. A concrete instantiation of **service-directory-entry** is a mandatory element of every concrete instantiation of the FIPA Abstract Architecture.

### 5.22.2 Relationships to Other Elements

**Service-directory-entry** contains the **service-name** of the **service** to which it refers  
**Service-directory-entry** contains the **service-type** of the **service** to which it refers  
**Service-directory-entry** contains a **service-locator** of the **service** to which it refers  
**Service-directory-entry** may contain zero or more **service-attributes**  
**Service-directory-entry** is managed by and available from a **service-directory-service**

1701 **Services** are not required to publish a **service-directory-entry**

1702

### 1703 5.22.3 Description

1704 A **service-directory-entry** is used to describe the identity, type, signature and address of a **service**, which is accessed  
 1705 via programmatic means. A **service-directory-entry** also contains zero or more attribute value pairs, which are used to  
 1706 distinguish on instance of a service from another. **Services** are registered to a **service-directory-service** by adding a  
 1707 **service-directory-entry** to the directory.

1708  
 1709 Different realizations that use a common **service-directory-service**, are strongly encouraged to adopt a common  
 1710 schema for storing **service-directory-entries**.

1711

## 1712 5.23 Services Directory Service

### 1713 5.23.1 Summary

1714 The **service-directory-service** is used to register and locate **services** within the FIPA infrastructure. Services include,  
 1715 but are not limited to: **message-transport-services**, **agent-directory-services**, gateway services, and message  
 1716 buffering services (note that the latter two services are not mandated by this specification). A **service-directory-**  
 1717 **service** is also used to store the **service** descriptions of application oriented services, such as commercial and  
 1718 business oriented services. A concrete instantiation of **service-directory-service** is a mandatory element of every  
 1719 concrete instantiation of the FIPA Abstract Architecture.

1720  
 1721 Note: Agents are not expected to register services in the **services-directory-service** which are not being used in  
 1722 explicit provision of services for the platform. In addition, it would be expected that most services would not be register  
 1723 by agents.

### 1724 5.23.2 Relationships to Other Elements

1725 **Service-directory-services** provides a directory of **service-directory-entries**

1726 **Services** may be registered within the **service-directory-service**.

1727 **Service-directory-service** is a **service**

1728

### 1729 5.23.3 Description

1730 Each concrete implementation of this specification will provide a **service-directory-service**. The **service-directory-**  
 1731 **service** will provide a simple registry for the **service** descriptions. Each realization of the **service-directory-service** will  
 1732 provide agents with a **service-root**, which will take the form of a set of **service-locators** including at least one **service-**  
 1733 **directory-service** (pointing to itself) In general, a **service-root** will provide sufficient entries to either describe all of the  
 1734 services available within the environment directly, or it will provide pointers to further services which will describe these  
 1735 services.

1736  
 1737 The following set of actions may be exposed by a **service-directory-service**. Each of these actions is optional.

### 1738 5.23.4 Actions

#### 1739 5.23.4.1 Register

1740 A service may **register** a **service** description in the form of a **service-directory-entry** with a **service-directory-**  
 1741 **service**.

1742  
 1743 The semantics of this action are as follows:

1744  
 1745 The **service** provides a **service-directory-entry** that is to be registered. In initiating the action, the **service** may control  
 1746 the scope of the action. Different reifications may handle this in different ways. The action may be addressed to a  
 1747 particular instance of a **service-directory-service**, or the action may be qualified with some scope parameter.

1748

1749

If the action is successful, the **service-directory-service** will return an **action-status** indicating success. Following a successful **register**, the **service-directory-service** will support legal **deregister**, and **search** actions with respect to the registered **service-directory-entry**.

1750

1751

1752

If the action is unsuccessful, the **service-directory-service** will return an **action-status** indicating failure, together with an **explanation**. The range of possible explanations is, in general, specific to a particular reification. However a conforming reification must, where appropriate, distinguish between the following explanations:

1753

1754

1755

1756

- *Duplicate*. The new entry “clashed” with some existing **service-directory-entry**.
- *Access*. The **agent** or **service** making the request is not authorized to perform the specified action.
- *Invalid*. The **service-directory-entry** is invalid in some way.

1757

1758

1759

1760

1761

1762

1763

#### 5.23.4.2 Deregister

1764

1765

1766

A **service** may **deregister** a **service-directory-entry** from a **service-directory-service**. The semantics of this action are as follows:

1767

1768

1769

1770

1771

The **service** provides a **service-directory-entry** which has the same **service-name** as that which is to be deregistered. (The rest of the **service-directory-entry** is not significant.) In initiating the action, the **service** may control the scope of the action. Different reifications may handle this in different ways. The action may be addressed to a particular instance of a **service-directory-service**, or the action may be qualified with some scope parameter.

1772

1773

1774

1775

If the action is successful, the **service-directory-service** will return an **action-status** indicating success. Following a successful **deregister**, the **service-directory-service** will no longer support **modify**, **deregister**, and **search** actions with respect to the deregistered **service-directory-entry**.

1776

1777

1778

1779

If the action is unsuccessful, the **service-directory-service** will return an **action-status** indicating failure, together with an **explanation**. The range of possible explanations is, in general, specific to a particular reification. However a conforming reification must, where appropriate, distinguish between the following explanations:

1780

1781

1782

1783

1784

1785

1786

- *Not-found*. The new entry did not match any existing **service-directory-entry**. This would only occur if no existing **service-directory-entry** had the same **service-name**
- *Access*. The **agent** or **service** making the request is not authorized to perform the specified action.
- *Invalid*. The **service-directory-entry** is invalid in some way.

1787

1788

1789

1790

#### 5.23.4.3 Search

A **service** or **agent** may **search** a **service-directory-service** to locate **service-directory-entries** of interest. The semantics of this action are as follows:

1791

1792

1793

1794

1795

The searching entity (**agent**) provides a **service-directory-entry** that is to be treated as a search pattern. In initiating the action, the **agent** may control the scope of the action. Different reifications may handle this in different ways. The action may be addressed to a particular instance of a **service-directory-service**, or the action may be qualified with some scope parameter.

1796

1797

1798

1799

1800

The directory service verifies that the argument is a valid **service-directory-entry**. It then searches for registered **service-directory-entries** that satisfy the search criteria. A registered entry satisfies the search criteria if there is a match between each **key-value pair** in the submitted entry. The semantics of “matching” are likely to be reification-dependent; at a minimum, there should be support for matching on the *same* value and on *any* value.

If the action is successful, the **service-directory-service** will return an **action-status** indicating success, together with a set of **service-directory-entries** that satisfy the search pattern. The mechanism by which multiple entries are returned, and whether or not an **agent** may limit or terminate the delivery of results, is not defined in the FIPA Abstract Architecture and is therefore reification dependent.

If the action is unsuccessful, the **service-directory-service** will return an **action-status** indicating failure, together with an **explanation**. The range of possible explanations is, in general, specific to a particular reification. However a conforming reification must, where appropriate, distinguish between the following explanations:

- *Not-found*. The search pattern did not match any existing **service-directory-entry**.
- *Access*. The **agent** or **service** making the request is not authorized to perform the specified action.
- *Invalid*. The **service-directory-entry** is invalid in some way.

#### 5.23.4.4 Modify

A **service** may **modify** a **service-directory-entry** that has been registered with a **service-directory-service**. The semantics of this action are as follows:

The **service** provides a **service-directory-entry** which contains the same **service-name** as the entry to be modified. In initiating the action, the **service** may control the scope of the action. Different reifications may handle this in different ways. The action may be addressed to a particular instance of a **service-directory-service**, or the action may be qualified with some scope parameter.

The **service-directory-service** verifies that the argument is a valid **service-directory-entry**. It then searches for a registered **service-directory-entry** with the same **service-name**. If it does not find one, the action fails and an **explanation** provided. Otherwise it modifies the existing **service-directory-entry** by examining each **key-value-pair** in new **service-directory-entry**. If the **value** is non-null, the **key-value-pair** is added to the new entry, replacing any existing **key-value-pair** with the same **key** identity. If the **value** is null, any existing **key-value-pair** with the same **key** identity is removed from the entry.

If the action is successful, the **service-directory-service** will return an **action-status** indicating success, together with a **service-directory-entry** corresponding to the new contents of the registered entry. Following a successful **modify**, the **service-directory-service** will support legal **modify**, **deregister**, and **search** actions with respect to the modified **service-directory-entry**.

If the action is unsuccessful, the **service-directory-service** will return an **action-status** indicating failure, together with an **explanation**. The range of possible explanations is, in general, specific to a particular reification. However a conforming reification must, where appropriate, distinguish between the following explanations:

- *Not-found*. The new entry did not match any existing **service-directory-entry**. This would only occur if no existing **service-directory-entry** had the same **service-name**
- *Access*. The **agent** or **service** making the request is not authorized to perform the specified action.
- *Invalid*. The new **service-directory-entry** is invalid in some way.

## 5.24 Service Identifier

### 5.24.1 Summary

The **service-name** provides uniqueness preservation within a given namespace. The **service-name** is used to test for equivalence of a **service**, and for modifying, deleting and searching for **service-directory-entries** within a **service-directory-service**. **Service-names** are unique, and are intended only to be used to test for uniqueness and identity, not

1852 to provide location or other extrinsic properties of the service. A concrete instantiation of **service-name** is a mandatory  
 1853 element of every concrete instantiation of the FIPA Abstract Architecture.

#### 1854 5.24.2 Relationships to other elements

1855 **Service-name** is used to identify a **service** within a **service-directory service**  
 1856 **Service-name** is a component of a **service-directory entry**

#### 1857 5.24.3 Description

1858 A **service-name** is an immutable identifier (for example, a GUID, Globally Unique Identifier) that is associated with the  
 1859 **service** at creation time or initial registration. Name issuing should occur in a way that tends to ensure global  
 1860 uniqueness. This may be achieved, for example, through employing an algorithm that generates the name with a  
 1861 sufficient degree of stochastic complexity such as to induce a vanishingly small chance of a name collision.  
 1862

### 1863 5.25 Service Location Description

#### 1864 5.25.1 Summary

1865 A **service-location-description** is a set of one or more **key-value tuples**, each containing a **signature-type**, **service-**  
 1866 **signature** and a **service-address**. In general, any **agent** or **service** wishing to use the **service** must 'already know'  
 1867 how to operate the service. In particular, the **service-address** should be a data value of type known both to the agent  
 1868 that it may use to invoke actions from the service. A concrete instantiation of **service-location-description** is a  
 1869 mandatory element of every concrete instantiation of the FIPA Abstract Architecture.

#### 1870 5.25.2 Relationships to Other Elements

1871 **Service-locator** contains one or more **service-location-descriptions**  
 1872 **Service-location-description** contains **signature-type**  
 1873 **Service-location-description** contains **service-signature**  
 1874 **Service-location-description** contains **service-address**  
 1875 **Service-location-description** is used by an **agent** to access a **service**  
 1876

#### 1877 5.25.3 Description

1878 A **service-location-description** is the parallel structure to a **transport-description** (which is a component of the  
 1879 **agent-locator**), that describes how to access a **service**. Each **service-location-description** contains a **service-**  
 1880 **signature** that that defines how to call the service, a **signature-type** that type classifies the **service-signature** and a  
 1881 **service-address** that identifies the addressable location of the **service**.  
 1882

### 1883 5.26 Service Locator

#### 1884 5.26.1 Summary

1885 A **service-locator** consists of the set of **service-location-descriptions**, which can be used to access and make use of  
 1886 a **service**. In general, any **agent** or **service** wishing to use the **service** must 'already know' how to operate the service.  
 1887 In particular, the **service-address** should be a data value of type known both to the agent that it may use to invoke  
 1888 actions from the service. A concrete instantiation of **service-locator** is a mandatory element of every concrete  
 1889 instantiation of the FIPA Abstract Architecture.  
 1890

#### 1891 5.26.2 Relationships to Other Elements

1892 **Service-locator** is a member of **service-directory-entry**, which is registered with a **service-directory-service**  
 1893 **Service-locator** contains one or more **service-location-descriptions**  
 1894 **Service-locator** is used by an **agent** to access a **service**  
 1895

### 5.26.3 Description

A **service-locator** is the parallel structure to an **agent-locator**, which describes how to access a **service**. Each **service-locator** includes all of the **service-location-descriptions** that may be used to access the associated **service**.

## 5.27 Service Root

### 5.27.1 Summary

A **service-root** is a set of **service-directory-entries** made available to an **agent** at start-up. This is the mechanism by which an **agent** can bootstrap lifecycle support services, such as **message-transport-services** and **agent-directory-services**, to provide it with a connection to the outside environment. A concrete instantiation of **service-root** is a mandatory element of every concrete instantiation of the FIPA Abstract Architecture.

### 5.27.2 Relationships to Other Elements

**Service-root** is used by an **agent** to bootstrap **services**

**Service-root** is a set of **service-directory-entries**

**Service-root** should contain a **service-directory-entry** for at least one **message-transport-service**

**Service-root** should contain a **service-directory-entry** for at least one **agent-directory-service**

**Service-root** should contain a **service-directory-entry** for at least one **service-directory-service**

### 5.27.3 Description

An **agent** must be provided with a **service-root** at initialization in order for it to be able to communicate with other **agents** and **services**. Typically the provider of the **service-root** will be a **service-directory-service** which will supply a set of service descriptions in the form of **service-directory-entries** for available agent lifecycle support services, such as **message-transport-services**, **agent-directory-services** and **service-directory-services**. In general, a **service-root** will provide sufficient entries to either describe all of the services available within the environment directly, or it will provide pointers to further services which will describe these services.

## 5.28 Service Signature

### 5.28.1 Summary

A **service-signature** is a Fully Qualified Name within an administered namespace that describes the binding signature for a service. A concrete instantiation of **service-signature** is a mandatory element of every concrete instantiation of the FIPA Abstract Architecture.

### 5.28.2 Relationships to Other Elements

**Service-signature** is a component of a **service-locator**

**Service-signature** is qualified in terms of a **signature-type**

### 5.28.3 Description

Examples of **service-signatures** are:

org.fipa.standard.service.java-rmi-binding

org.omg.agent.idl-binding

See **signature-type** for a description of these **service-signature** bindings.



## 1939 5.29 Service Type

### 1940 5.29.1 Summary

1941 A **service-type** is a **key-value-tuple**, defining the *type* of a **service**. The set of possible values will be administered,  
 1942 according to the process defined for **key-value-tuples** and by the appropriate namespace authority. A concrete  
 1943 instantiation of **service-type** is a mandatory element of every concrete instantiation of the FIPA Abstract Architecture.  
 1944

### 1945 5.29.2 Relationships to Other Elements

1946 **Service-type** is a component of a **service-directory-entry**

1947 **Service-type** qualifies the *type* of a **service**

1948

### 1949 5.29.3 Description

1950 **Service-type** is used to classify the **service** in terms of some administered namespace. The *type* provides a contextual  
 1951 reference to **service** functionality. For example, the **service-address** component of the **service-locator** uses **service-**  
 1952 **type** as a context for communication bindings.  
 1953

## 1954 5.30 Signature Type

### 1955 5.30.1 Summary

1956 A **signature-type** is a **key-value-tuple** describing the *type* of a **service-signature**. A **signature-type** allows the  
 1957 interpretation of a **service-locator**, by associating it with a type of method signature binding. A concrete instantiation of  
 1958 **signature-type** is an optional element of concrete instantiations of the FIPA Abstract Architecture.

### 1959 5.30.2 Relationships to Other Elements

1960 **Signature-type** is a component of a **service-locator**

1961 **Signature-type** qualifies the *type* of a **service-signature**

1962 **Signature-type** qualifies the *type* of a **service-address**

1963

### 1964 5.30.3 Description

1965 The **signature-type** keys access to the opaque portion of a **service-locator**. Examples of signatures are:

1966 5.30.3.1.1 org.fipa.standard.service.java-rmi-binding

1967 For this **signature-type**, the **service-signature** is the Java IDL of the Java method to be invoked and the **service-**  
 1968 **address** is the URL for the target of the remote method invocation.  
 1969

1970 5.30.3.1.2 org.omg.agent.idl-binding

1971 For this **signature-type**, the **service-signature** is the OMG CORBA IDL of the method to be invoked and the **service-**  
 1972 **address** is the IOR of the remote object which is the target of the method invocation.  
 1973

## 1974 5.31 Transport

### 1975 5.31.1 Summary

1976 A **transport** is a particular **message** delivery service, such as a message transfer system, a datagram service, a byte  
 1977 stream, or a shared scratchboard. Abstractly, a **transport** is a delivery system selected by virtue of the **transport-**  
 1978 **description** used to deliver **messages** to an **agent**. A concrete instantiation of **transport** is a mandatory element of  
 1979 every concrete instantiation of the FIPA Abstract Architecture.  
 1980

### 1981 5.31.2 Relationships to Other Elements

1982 **Transport-description** can be mapped onto a **transport**  
 1983 **Message-transport-service** may use one or more **transports** to effect message delivery  
 1984 A **transport** may support one or more **transport-encodings**  
 1985

### 1986 5.31.3 Description

1987 The mapping from **transport-description** to **transport** must be consistent across all realizations. FIPA will administer  
 1988 ontology of transport names. Concrete specifications should define a concrete encoding for this ontology.  
 1989

## 1990 5.32 Transport Description

### 1991 5.32.1 Summary

1992 A **transport-description** is a **key-value tuple** containing a **transport-type**, a **transport-specific-address** and zero or  
 1993 more **transport-specific-properties**. A concrete instantiation of **transport-description** is a mandatory element of  
 1994 every concrete instantiation of the FIPA Abstract Architecture.  
 1995

### 1996 5.32.2 Relationships to Other Elements

1997 **Transport-description** has a **transport-type**  
 1998 **Transport-description** has a set of **transport-specific-properties**  
 1999 **Transport-description** has a **transport-specific-address**  
 2000 **Agent-directory-entries** include one or more **transport-descriptions**  
 2001 **Envelopes** contain one or more **transport-descriptions**  
 2002

### 2003 5.32.3 Description

2004 **Transport-descriptions** are included in the **agent-directory-service**, describing where a registered agent may be  
 2005 contacted. They can be included in the **envelope** for a **transport-message**, to describe how to deliver the message. In  
 2006 addition, if a **message-transport-service** is implemented, **transport-descriptions** are used as input to the **message-**  
 2007 **transport-service** to specify characteristics for additional delivery requirements for the delivery of **messages** to an  
 2008 **agent**.

## 2009 5.33 Transport Message

### 2010 5.33.1 Summary

2011 A **transport-message** is the object conveyed from **agent** to **agent**. It contains the **envelope** containing **transport-**  
 2012 **descriptions** for the sender and receiver(s) together with a **payload** containing the encoded **message**. A concrete  
 2013 instantiation of **transport-message** is a mandatory element of every concrete instantiation of the FIPA Abstract  
 2014 Architecture.  
 2015

### 2016 5.33.2 Relationships to Other Elements

2017 **Transport-message** contains a **payload**  
 2018 **Transport-message** contains an **envelope**  
 2019

### 2020 5.33.3 Description

2021 A concrete implementation may limit the number of receiving **transport-descriptions** in the **envelope** of a **transport-**  
 2022 **message**. It may also establish particular relationships between the **agent-name** or **agent-names** for the receiver(s) in  
 2023 the **payload**. For example, it may ensure that there is a one-to-one correspondence between **agent-names**. The  
 2024 important thing to convey from **agent** to **agent** is the **payload**, together with sufficient **transport-message** context to

2025 send a reply. A gateway service or other transformation mechanism may unpack and reformat a **transport-message**  
2026 as part of its processing.  
2027

## 2028 5.34 Transport Specific Address

### 2029 5.34.1 Summary

2030 A **transport-specific-address** is an address specific to a particular **transport-type**. The format and description of the  
2031 address will be specific to this type. The address is used by a **transport-service** in conjunction with a **transport-type**  
2032 to construct transport connections. A concrete instantiation of **transport-specific-address** is an mandatory element of  
2033 every concrete instantiation of the FIPA Abstract Architecture.  
2034

### 2035 5.34.2 Relationships to Other Elements

2036 A **transport-specific-address** is a component of a **transport-description**  
2037 A **transport-specific-address** is associated with a specific **transport-type**  
2038

### 2039 5.34.3 Description

2040 The **transport-specific-address** provides a resolvable location descriptor, specific to a given **transport-type**, which  
2041 can be used by a **transport-service** to send and/or receive **messages**.  
2042

## 2043 5.35 Transport Specific Property

### 2044 5.35.1 Summary

2045 A **transport-specific-property** is property associated with a **transport-type**. These properties are used by the  
2046 **transport-service** to help it in constructing transport connections, based on the properties specified. A concrete  
2047 instantiation of **transport-specific-property** is an optional element of every concrete instantiation of the FIPA Abstract  
2048 Architecture.  
2049

### 2050 5.35.2 Relationships to Other Elements

2051 **Transport-description** includes zero or more **transport-specific-properties**  
2052

### 2053 5.35.3 Description

2054 The **transport-specific-properties** are not required for a particular **transport**. They may vary between **transports**.  
2055

## 2056 5.36 Transport Type

### 2057 5.36.1 Summary

2058 A **transport-type** describes the type of transport associated with a **transport-specific-address**. A concrete  
2059 instantiation of **transport-type** is a mandatory element of every concrete instantiation of the FIPA Abstract Architecture.  
2060

### 2061 5.36.2 Relationships to Other Elements

2062 **Transport-description** includes a **transport-type**  
2063

2064 **5.36.3 Description**

2065 FIPA will administer an **ontology** of **transport-types**. FIPA managed types will be flagged with the prefix of "FIPA-".  
2066 Specific realizations can provide experimental types, which will be prefixed "X-"  
2067


2068 **6 Agent and Agent Information Model**

2069 This section of the FIPA Abstract Architecture provides a series of UML class diagrams for key elements of the FIPA  
 2070 Abstract Architecture. In Section 5 you can get a textual description of these elements and other aspects of the  
 2071 relationships between them.

2072 **Comment on notation:** In UML, the notion of a 1 to many or 0 to many relationship is often noted as “1…\*” or “0…\*”.  
 2073 However, the tool that was used to generate these diagrams used the convention “1..n” and “0..n” to express the  
 2074 concept of many.  
 2075

2076 **6.1 Agent Relationships**

2077 *Figure 11* outlines the basic relationships between an **agent** and other key elements of the FIPA FIPA Abstract  
 2078 Architecture. In other diagrams in this section are provided details on the **agent-locator**, and the **transport-message**.  
 2079




2080 **Figure 11: UML - Basic Agent Relationships**

2081  
 2082

2083  
2084  
2085  
2086

## 6.2 Transport Message Relationships

**Transport-message** is the object conveyed from **agent** to **agent**. It contains the **transport-description** for the sender and receiver or receivers, together with a **payload** containing the **message** (see *Figure 12*).




2087  
2088  
2089

Figure 12: UML - Transport-Message Relationships

2090  
2091  
2092  
2093

### 6.3 Agent Directory Entry Relationships

The **agent-directory-entry** contains the **agent-name**, **agent-locator** and **agent-attributes**. The **agent-locator** provides ways to address **messages** to an **agent**. It is also used in modifying **transport** requests (see *Figure 13*).



2094  
2095  
2096  
2097

Figure 13: UML - Agent-directory-entry and Agent-locator Relationships

2098

### 6.4 Service Directory Entry Relationships


2099

Figure 14 shows the hierarchical relationships within a **service-directory-entry** which contains the **service-name**, **service-type** and **service-locator**. The **service-locator** provides the means to contact and make use of a **service** and contains one or more **service-location-descriptions** which in turn each contain a **service-signature**, the **signature-type** and the **service-address**.

2101

2102

2103



2104

2105

2106


2107

Figure 14: UML - Service-directory-entry and Service-locator Relationships



2108 **6.5 Message Elements**

2109 *Figure 15* shows the elements in a **message**. A **message** is contained in a **transport-message** when messages are  
 2110 sent. Note that in *Figure 14*, the elements 'Communicative Act' and 'Performative' are not explicit architectural elements  
 2111 defined within this specification; they are informative entities relating to the semantics of the message as defined in  
 2112 [FIPA00037]. Also, the multiplicity of the 'Ontologies' element refers to the fact more than one ontology may be referred  
 2113 to by the **ontology** architectural element which corresponds to the ACL *ontology* parameter (see [FIPA00061]).  
 2114




2115  
 2116  
 2117 **Figure 15: UML - Message Elements**  
 2118

2119  
2120  
2121  
2122

### 6.6 Message Transport Elements

The **message-transport-service** is an option service that can send **transport-messages** between **agents**. These elements may participate in other relationships as well (see *Figure 16*).



2123  
2124  
2125  
2126

Figure 16: UML - Message-Transport Elements

2127

## 7 References

2128

[FIPA00007] FIPA Content Language Library Specification. Foundation for Intelligent Physical Agents, 2000.  
<http://www.fipa.org/specs/fipa00007/>

2129

2130

[FIPA00023] FIPA Agent Management Specification. Foundation for Intelligent Physical Agents, 2000.  
<http://www.fipa.org/specs/fipa00023/>

2131

2132

[FIPA00037] FIPA Communicative Act Library Specification. Foundation for Intelligent Physical Agents, 2000.  
<http://www.fipa.org/specs/fipa00037/>

2133

2134

[FIPA00061] FIPA ACL Message Structure Specification. Foundation for Intelligent Physical Agents, 2000.  
<http://www.fipa.org/specs/fipa00061/>

2135

2136

[Gamma95] Gamma, Helm, Johnson and Vlissides, *Design Patterns*. Addison-Wesley, 1995.

2137

[Searle69] Searle, J. L., *Speech Acts*. Cambridge University Press, 1969.

2138

## 2139 **8 Informative Annex A — Goals of Service Model**

### 2140 **8.1 Scope**

2141 Agents require the use of many services in order to interoperate with other agents. In order to create the essential  
 2142 abstractions for the various kinds of services that are essential to this mission, and to permit the straightforward  
 2143 incorporation of other services in a consistent framework we require a model of services themselves.  
 2144

### 2145 **8.2 Variety of Services**

2146 Although there are a number of essential services required by the FIPA Abstract Architecture, a fully built out platform  
 2147 may include a wide variety of services not referenced in this document, for example, a platform may provide various  
 2148 kinds of buffering services. Since the actual services may vary dynamically it is desirable for agents and services to  
 2149 have a common model for discovering other services.  
 2150

### 2151 **8.3 Bootstrapping**

2152 While the concrete realizations of the FIPA Abstract Architecture may have very different forms a common requirement  
 2153 exists for many systems for a clear and reliable method of bootstrapping services, agents and agent systems.  
 2154 Supporting bootstrapping is a clear aim of the service model  
 2155

### 2156 **8.4 Dynamic services**

2157 The set of services available to an agent may on some systems be quite fixed: they are made available on start-up and  
 2158 exist unchanged for the lifetime of the agent. However, on many – if not most – large scale systems, the set of services  
 2159 available to agents is in fact dynamic. Both the number, type and instantiations of services are all is often subject to  
 2160 change; for example, the message transport services available to an agent may vary depending on the circumstances.  
 2161

2162 It is an objective of the service model to provide a consistent framework permitting services themselves to be made  
 2163 dynamically available: services need to be able to dynamically register themselves, and agents and services may need  
 2164 to be able to dynamically discover the appropriate services.  
 2165

### 2166 **8.5 Granularity**

2167 An important – if informal – property of the service model is *granularity of services*. For example, it may be possible to  
 2168 'break apart; a message transport service into a collection of transports each of which is registered independently with a  
 2169 service directory service. However, to do so would impose a significant burden on programmers wishing to make use of  
 2170 message transport: a key benefit of supporting an integrated message transport service is that it permits high-level  
 2171 convenience operations such as 'reply to this message with this new message' or 'send a message to this agent'  
 2172 without requiring a 'manual' search of the service directory service each time.  
 2173

2174 In general the appropriate granularity of services depends on whether a range of related services is best viewed as  
 2175 instantiations of a single high-level service or whether they are interdependent but distinct kinds of service.  
 2176

### 2177 **8.6 Example**

2178 The following example illustrates how an entry in a service directory service can be formulated.  
 2179

2180 For our example, we consider locating a prototype buffering service, implemented as Java object. The service, being  
 2181 experimental, is contained within the name space, "org.fipa.experimental" and has the signature type "fipa-  
 2182 experimental.buffer-prototype".  
 2183

2184 The Java object is accessed via the service address URL: `rmi://testbox.fipa.org/buffertest`  
2185

2186 The method signature is:

2187 `public void setBuffer (BufferSessionContext ctx) throws java.rmi.RemoteException`  
2188

2189 So, we register the object by generating a service directory entry containing:

```
2190 (service-name, "org.BT.experimental.buffer-prototype.test-1")  
2191 (service-type, "org.fipa.experimental.buffer-prototype")  
2192 (service-locator, ((signature-type, "org.fipa.service-signature-ontology java2.rmi"),  
2193                   (service-signature, "fipa.agentpackages.experimentalbufferpackage"),  
2194                   (service-address, "rmi://testbox.Norwich.bt.co.uk/1066/buffertest"))))  
2196
```

2197 The `service-locator` contains the `signature-type` which tells us that we use Java2 RMI to access the service.  
2198 This tells us how to understand the next two elements of the locator, the `service-signature` and `service-`  
2199 `address`. The `service-signature` is the Java package which you need to use to get at the methods provided by  
2200 the buffering object. Finally, the `service-address` is the resolvable location at which the appropriate method can be  
2201 found.  
2202

## 9 Informative Annex B — Goals of Message Transport Service Abstraction

### 9.1 Scope

In order to create abstractions for the various architectural elements, it is necessary to examine the kinds of systems and infrastructures that are likely targets of real implementations of the FIPA Abstract Architecture. In this section, we examine some of the ways in which concrete messaging and messaging transports may differ. Authors of concrete architectural specifications must take these issues into account when considering what end-to-end assumptions they can safely make. The goals describe below give the reader an understanding of the objectives the authors of the FIPA Abstract Architecture had in mind when creating this architecture.

### 9.2 Variety of Transports

There are a wide variety of transport services that may be used to convey a message from one agent to another. The FIPA Abstract Architecture is neutral with respect to this variety. For any instantiation of the architecture, one must specify the set of transports that are supported, how new transports are added, and how interoperability is to be achieved. It is permissible for a particular concrete architecture to require that implementations of that architecture must support particular transports.

Different transports use a variety of different address representations. Instantiations of the message transport architecture may support mechanisms for validating addresses, and for selecting appropriate transport services based upon the form of address used. It is extremely undesirable for an agent to be required to parse, decode, or otherwise rely upon the format of an address.

The following are examples of transport services that may be used to instantiate this FIPA Abstract Architecture:

- Enterprise message systems such as those from IBM and Tibco,
- A Java Messaging System (JMS) service provider, such as Fiorano,
- CORBA IIOP used as a simple byte stream,
- Remote method invocation, using Java RMI or a CORBA-based interface,
- SMTP email using MIME encoding,
- XML over HTTP,
- Wireless Access Protocol, and,
- Microsoft Named Pipes.

### 9.3 Support for Alternative Transports within a Single System

Many application programming environments offer developers a variety of network protocols and higher-level constructs from which to implement inter-process communications, and it is becoming increasingly common for services to be made available over several different communications frameworks. It is expected that some instantiations of the Abstract Architecture will allow the developer or deployer of agent systems to advertise the availability of their services over more than one message transport.

For this reason, the notion of transport address is here generalized to that of *destination*. A destination is an object containing one or more transport addresses. Each address is represented in a format that describes (explicitly or

‡251 implicitly) the set of transports for which it is usable. (The precise mapping from address to transport is left to the  
‡252 concrete specification, although in practice the mapping is likely to be one-to-one.)  
‡253

‡254 In its simplest form, a destination may be a single address that unambiguously defines the transport for which it can be  
‡255 used.  
‡256

#### ‡257 **9.4 Desirability of Transport Agnosticism**

‡258 The FIPA Abstract Architecture is consistent with concrete architectures which provide “transport agnostic” services.  
‡259 Such architectures will provide a programming model in which agents may be more or less aware of the details of  
‡260 transports, addressing, and many other communications-related mechanisms. For example, one agent may be able to  
‡261 address another in terms of some “social name”, or in terms of service attributes advertised through the agent directory  
‡262 service without being aware of addressing format, transport mechanism, required level of privacy, audit logging, and so  
‡263 forth.  
‡264

‡265 Transport agnosticism may apply to both senders and recipients of messages. A concrete architecture may provide  
‡266 mechanisms whereby an agent may delegate some or all of the tasks of assigning transport addresses, binding  
‡267 addresses to transport end-points, and registering addresses in white-pages or yellow-pages directories to the agent  
‡268 platform.  
‡269

#### ‡270 **9.5 Desirability of Selective Specificity**

‡271 While transport agnosticism simplifies the development of agents, there are times when explicit control of specific  
‡272 aspects of the message transport mechanism is required. A concrete architecture may provide programmatic access to  
‡273 various elements in the message transport subsystem.  
‡274

#### ‡275 **9.6 Connection-Based, Connectionless and Store-and-Forward Transports**

‡276 The FIPA Abstract Architecture is compatible with connection-based, connectionless, and store-and-forward transports.  
‡277 For connection-based transports, an instantiation may support the automatic reestablishment of broken connections. It  
‡278 is desirable that instantiations that implement several of these modes of operation should support transport-agnostic  
‡279 agents.  
‡280

#### ‡281 **9.7 Conversation Policies and Interaction Protocols**

‡282 The FIPA Abstract Architecture specifies a set of abstract objects that allows for the explicit representation of “a  
‡283 conversation”, that is, a related set of messages between interlocutors that are logically related by some interaction  
‡284 pattern. It is desirable that this property be achieved by the minimum of overhead at the infrastructure or message level;  
‡285 in particular, it is important that interoperability remain un-compromised. For example, an implementation may deliver  
‡286 messages to conversation-specific queues based on an interpretation of the message envelope. To achieve  
‡287 interoperability with an agent that does not support explicit conversations (that is, which does not allow individual  
‡288 messages to be automatically associated with a particular higher-level interaction pattern), it is necessary to specify the  
‡289 way in which the message envelope must be processed in order to preserve conversational semantics.  
‡290

‡291 Note: in the practice, we were not able to fully meet this goal. It remains a topic of future work.  
‡292

#### ‡293 **9.8 Point-to-Point and Multiparty Interactions**

‡294 The FIPA Abstract Architecture supports both point-to-point and multiparty message transport. For point-to-point  
‡295 interactions, an agent sends a message to an address that identifies a single receiving agent. (An instantiation may  
‡296 support implicit addressing, in which the destination is derived from the name of the intended recipient agent without the  
‡297 explicit involvement of the sender.) For multiparty message transport, the address must identify a group of recipients.

2298 The most common model for such message transport is termed “publish and subscribe”, in which the address is a  
2299 “topic” to which recipients may subscribe. Other models, for example, “address lists”, are possible.

2300  
2301 Not all transport mechanisms support multiparty communications, and concrete architectures are not required to  
2302 provide multiparty messaging services. Concrete architectures that do provide such services may support proxy  
2303 mechanisms, so that agents and agent systems that only use point-to-point communications may be included in  
2304 multiparty interactions.  
2305

## 2306 **9.9 Durable Messaging**

2307 Some commercial messaging systems support the notion of durable messages, which are stored by the messaging  
2308 infrastructure and may be delivered at some later point in time. It is desirable that a message transport architecture  
2309 should take advantage of such services.  
2310

## 2311 **9.10 Quality of Service**

2312 The term Quality of Service refers to a collection of service attributes that control the way in which message transport is  
2313 provided. These attributes fall into a number of categories:

- 2314
- 2315 • Performance,
- 2316
- 2317 • Security,
- 2318
- 2319 • Delivery semantics,
- 2320
- 2321 • Resource consumption,
- 2322
- 2323 • Data integrity,
- 2324
- 2325 • Logging and auditing, and,
- 2326
- 2327 • Alternate delivery.
- 2328

2329 Some of these attributes apply to a single message; others may apply to conversations or to particular types of  
2330 message transport. Architecturally it is important to be able to determine what elements of Quality of Service are  
2331 supported, to express (or negotiate) the desired Quality of Service, to manage the service features which are controlled  
2332 via the Quality of Service, to relate the specified Quality of Service to a service performance guarantee, and to relate  
2333 Quality of Service to interoperability specifications.  
2334

## 2335 **9.11 Anonymity**

2336 The abstract transport architecture supports the notion of anonymous interaction. Multiparty message transport may  
2337 support access by anonymous recipients. An agent may be able to associate a transient address with a conversation,  
2338 such that the address is not publicly registered with any agent management system or directory service; this may  
2339 extend to guarantees by the message transport service to withhold certain information about the principal associated  
2340 with an address. If anonymous interaction is supported, an agent should be able to determine whether or not its  
2341 interlocutor is anonymous.  
2342

## 2343 **9.12 Message Encoding**

2344 It is anticipated that FIPA will define multiple message encodings together with rules governing the translation of  
2345 messages from one encoding to another. The message transport architecture allows for the development of  
2346 instantiations that use one or more message encodings.  
2347



### 2348 **9.13 Interoperability and Gateways**

2349 The abstract agent transport architecture supports the development of instantiations that use transports, encodings,  
2350 and infrastructure elements appropriate to the application domain. To ensure that heterogeneity does not preclude  
2351 interoperability, the developers of a concrete architecture must consider the modes of interoperability that are feasible  
2352 with other instantiations. Where direct end-to-end interoperability is impossible, impractical or undesirable, it is important  
2353 that consideration be given to the specification of gateways that can provide full or limited interoperability. Such  
2354 gateways may relay messages between incompatible transports, may translate messages from one encoding to  
2355 another, and may provide Quality of Service features supported by one party but not another.  
2356

### 2357 **9.14 Reasoning about Agent Communications**

2358 The agent transport architecture supports the notion of agents communicating and reasoning about the message  
2359 transport process itself. It does not, however, define the ontology or conversation patterns necessary to do this, nor are  
2360 concrete architectures required to provide or accept information in a form convenient for such reasoning.  
2361

### 2362 **9.15 Testing, Debugging and Management**

2363 In general, issues of testing, debugging, and management are implementation-specific and will not be addressed in an  
2364 FIPA Abstract Architecture. Individual instantiations may include specific interfaces, actions, and ontologies that relate  
2365 to these issues, and may specify that these features are optional or normative for implementations of the instantiation.  
2366

## 2367 **10 Informative Annex C — Goals of Directory Service Abstractions**

2368 This section describes the requirements and architectural elements of the abstract Directory Service. The directory  
 2369 service is that part of the FIPA Abstract Architecture which allows agents to register information about themselves in  
 2370 one or more repositories, for those same agents to modify and deregister this information, and for agents to search the  
 2371 repositories for information of interest to them. The information that is stored is referred to a directory entry, and the  
 2372 repository is an agent directory.  
 2373

### 2374 **10.1 Scope**

2375 The purpose of the FIPA Abstract Architecture is to identify the key abstractions that will form the basis of all concrete  
 2376 architectures. As such, it is necessarily both limited and non-specific. In this section, we examine some of the ways in  
 2377 which concrete directory services may differ.  
 2378

### 2379 **10.2 Variety of Directory Services**

2380 There are several directory services that may be used to store agent descriptions. The FIPA Abstract Architecture is  
 2381 neutral with respect to this variety. For any instantiation of the architecture, one must specify the set of directory  
 2382 services that are supported, how new directory services are added, and how interoperability is to be achieved. It is  
 2383 permissible for a particular concrete architecture to require that implementations of that architecture must support  
 2384 particular directory services.  
 2385

2386 Different directory services use a variety of different representations for schemas and contents. Instantiations of the  
 2387 agent directory architecture may support mechanisms for hiding these differences behind a common API and encoding,  
 2388 such as the Java JNDI model or hyper-directory schemes. It is extremely undesirable for an agent to be required to  
 2389 parse, decode, or otherwise rely upon different information encodings and schemas.  
 2390

2391 The following are examples of directory systems that may be used to instantiate the abstract directory service:

- 2392 • LDAP,
- 2393 • NIS or NIS+,
- 2394 • COS Naming,
- 2395 • Novell NDS,
- 2396 • Microsoft Active Directory,
- 2397 • The Jini lookup service, and,
- 2398 • A name service federation layer, such as JNDI.
- 2399
- 2400
- 2401
- 2402
- 2403
- 2404
- 2405
- 2406

### 2407 **10.3 Desirability of Directory Agnosticism**

2408 The FIPA Abstract Architecture is consistent with concrete architectures which provide “directory agnostic” services.  
 2409 Such a model will support agents that are more or less completely unaware of the details of directory services. A  
 2410 concrete architecture may provide mechanisms whereby an agent may delegate some or all of the tasks of assigning  
 2411 transport addresses, binding addresses to transport end-points, and registering addresses in all available directories to  
 2412 the agent platform.  
 2413

#### 2414 **10.4 Desirability of Selective Specificity**

2415 While directory agnosticism simplifies the development of agents, there are times when explicit control of specific  
2416 aspects of the directory mechanism is required. A concrete architecture may provide programmatic access to various  
2417 elements in the directory subsystem.  
2418

#### 2419 **10.5 Interoperability and Gateways**

2420 The abstract directory architecture supports the development of instantiations that use directory services appropriate to  
2421 the application domain. To ensure that heterogeneity does not preclude interoperability, the developers of a concrete  
2422 architecture must consider the modes of interoperability that are feasible with other instantiations. Where direct end-to-  
2423 end interoperability is impossible, impractical or undesirable, it is important that consideration be given to the  
2424 specification of gateways that can provide full or limited interoperability. Such gateways may extract agent descriptions  
2425 from one directory service, transform the information if necessary, and publish it through another directory service.  
2426

#### 2427 **10.6 Reasoning about Agent Directory**

2428 The abstract directory architecture supports the notion of agents communicating and reasoning about the directory  
2429 service itself. It does not, however, define the ontology or conversation patterns necessary to do this, nor are concrete  
2430 architectures required to provide or accept information in a form convenient for such reasoning.  
2431

#### 2432 **10.7 Testing, Debugging and Management**

2433 In general, issues of testing, debugging, and management are implementation-specific and will not be addressed in an  
2434 FIPA Abstract Architecture. Individual instantiations may include specific interfaces, actions, and ontologies that relate  
2435 to these issues, and may specify that these features are optional or normative for implementations of the instantiation.  
2436

## 2437 **11 Informative Annex D — Goals for Security and Identity Abstractions**

### 2438 **11.1 Introduction**

2439 In order to create abstractions for the various architectural elements, it is necessary to examine the kinds of systems  
 2440 and infrastructures that are likely targets of real implementations of the FIPA Abstract Architecture. In this section, we  
 2441 examine some of the ways in which security related issues may differ. Authors of concrete architectural specifications  
 2442 must take these issues into account when considering what end-to-end assumptions they can safely make. The goals  
 2443 describe below give the reader an understanding of the objectives the authors of the FIPA Abstract Architecture had in  
 2444 mind when creating this architecture.

2445  
 2446 In practice, only a very minor part of the security issues can be addressed in the FIPA Abstract Architecture, as most  
 2447 security issues are tightly coupled to their implementation. In general, the amount of security required is highly  
 2448 dependent on the target deployment environment.

2449  
 2450 A glossary of security terms is located at the end of this section.  
 2451

### 2452 **11.2 Overview**

2453 There are several aspects to security, which must permeate the FIPA Abstract Architecture. They are:

- 2454 • **Identity.** The ability to determine the identity of the various entities in the system. By identifying an entity, another  
 2455 entity interacting with it can determine what policies are relevant to interactions with that entity. Identity is based on  
 2456 credentials, which are verified by a Credential Authority.
- 2457 • **Access Permissions.** Based on the identity of an entity, determine what policies apply to the entity. These policies  
 2458 might govern resource consumption, types of file access allowed, types of queries that can be performed, or other  
 2459 controlling policies.
- 2460 • **Content Validity.** The ability to determine whether a piece of software, a message, or other data has been  
 2461 modified since being dispatched by its originating source. Digitally signing data and then having the recipient verify  
 2462 the contents are unchanged often accomplish this. Other mechanisms such as hash algorithms can also be  
 2463 applied.
- 2464 • **Content Privacy.** The ability to ensure that only designated identities can examine software, a message or other  
 2465 data. To all others the information is obscured. This is often accomplished by encrypting the data, but can also be  
 2466 accomplished by transporting the data over channels that are encrypted.

2467  
 2468 Identity, or the use of credentials, is needed to supply the ability to control access, to provide content validity, and  
 2469 create content privacy. Each of these is discussed below.  
 2470  
 2471  
 2472  
 2473  
 2474

### 2475 **11.3 Areas to Apply Security**

2476 This section describes the areas in which security can be applied within agent systems. In each case, the security  
 2477 related risks that are being guarded against are described. The assumption is that any agent or other entity in the  
 2478 system may have credentials that can be used to perform various forms of validation.  
 2479

#### 2480 **11.3.1 Content Validity and Privacy during Message Transport**

2481 There are two basic potential security risks when sending a message from one agent to another.

- 2482 • The primary risk is that a message is intercepted, and modified in some way. For example, the interceptor software  
 2483 inserts several extra numbers into a payment amount, and modifies the name of the check payee. After  
 2484

modification, it is sent on to the original recipient. The other agent acts on the incorrect data. In a case like this, the *content* validity of the message is broken.

- The secondary risk is that the message is read by another entity, and the data in it is used by that entity. The message does reach its original destination intact. If this occurs, the privacy of the message is violated.

Digital signing and encryption can address these risks, respectively. These two techniques can be abstractly presented at two different layers of the architecture. The messages themselves (or probably just the **payload** part) can be signed or encrypted. There are a number of techniques for this, PGP signing and encryption, Public Key signing and encryption, one time transmission keys, and other cryptographic techniques. This approach is most effective when the nature of underlying message transport is unknown or unreliable from a security perspective.

The message transport itself can also provide the digital signing or encryption. There are a number of transports that can provide such features: SKIP, IPSEC and CORBA Common Secure Interoperability Services. It seems prudent to include both models within the architecture, since different applications and software environments will have very different capabilities.

There is another aspect of message transport privacy that comes from agents that misrepresent themselves. In this scenario, an agent can register with directory services indicating that is a provider of some service, but in fact uses the data it receives for some other purpose. To put it differently, how do you know *who* you are talking to? This topic is covered under agent identity below.

### 11.3.2 Agent Identity

If agents and agent services have a digital identity, then agents can validate that:

- Agents they are exchanging messages with can be accurately identified, and,
- Services they are using are from a known, safe source.

Similarly, services can determine whether the agent:

- Use identity to determine code access or access control decisions, or,
- Use agent identity for non-repudiation of transactions.

### 11.3.3 Agent Principal Validation

The Agent can contain a principal (for example a user), on whose behalf this code is running. The principal has one or more credentials, and the credentials may have one or more roles that represent the principal.

If an agent has a principal, the other agents can:

- Determine whether they want to interoperate with that agent,
- Determine what policy and access control to permit to that user, and,
- Use the identity to perform transactions.

Services could perform similar actions.

### 11.3.4 Code Signing Validation

An agent can be code signed. This involves digitally signing the code with one or more credentials. If an agent is code signed, the platform could:

2537

2538

- Validate the credential(s) used to sign the agent software. Credentials are validated with a credential authority,

2539

2540

- If the credentials are valid, use policy to determine what access this code will have, or,

2541

2542

- If the credentials are valid, verify that the code is not modified.

2543

2544

In addition, the Agent Platform can use the lack of digital signature to determine whether to allow the code to run, and policy to determine what access the code will have. In other words, some platforms may have the policy that will not permit code to run, or will restrict Access Permissions unless it is digitally signed.

2545

2546

2547

2548

## 11.4 Risks Not Addressed

2549

There are a number of other possible security risks that are not addressed, because they are general software issues, rather than unique or special to agents. However, designers of agent systems should keep these issues in mind when designing their agent systems.

2550

2551

2552

2553

### 11.4.1 Code or Data Peeping

2554

An entity can probe the running agent and extract useful information.

2555

2556

### 11.4.2 Code or Data Alteration

2557

The unauthorized modification or corruption of an agent, its state, or data. This is somewhat addressed by the code signing, which does not cover all cases.

2558

2559

2560

### 11.4.3 Concerted Attacks

2561

When a group of agents conspire to reach a set of goals that are not desired by other entities. These are particularly hard to guard against, because several agents may co-operate to create a denial of service attack in a feint to allow another agent to undertake the undesirable action.

2562

2563

2564

2565

### 11.4.4 Copy and Replay

2566

An attempt to copy an agent or a message and clone or retransmit it. For example, a malicious platform creates an illegal copy, or a clone, of an agent, or a message from an agent is illegally copied and retransmitted.

2567

2568

2569

### 11.4.5 Denial of Service

2570

In a denial-of-service the attackers try to deny resources to the platform or an agent. For example, an agent floods another agent with requests and the receiving agent is unable to provide its services to other agents.

2571

2572

2573

### 11.4.6 Misinformation Campaigns

2574

The agent, platform, or service misrepresents information. This includes lying during negotiation, deliberately representing another agent, service or platform as being untrustworthy, costly, or undesirable.

2575

2576

2577

### 11.4.7 Repudiation

2578

An agent or agent platform denies that it has received/sent a message or taken a specific action. For example, a commitment between two agents as the result of a contract negotiation is later ignored by one of the agents, denying the negotiation has ever taken place and refusing to honour its part of the commitment.

2579

2580

2581

2582  
2583  
2584  
2585

### 11.4.8 Spoofing and Masquerading

An unauthorized agent or service claims the identity of another agent or piece of software. For example, an agent registers as a Directory Service and therefore receives information from other registering agents.

2586  
2587  
2588  
2589  
2590  
2591

## 11.5 Glossary of Security Terms

**Access permission** – Based on a credential model, the ability to allow or disallow software from taking an action. For example, software with certain credentials may be allowed read a particular file, a group with different credentials may be allowed to write to the file.

*Examples: OS file system permissions, Java Security Profiles (check name), Database access controls.*

2592  
2593  
2594

**Authentication** – Using some credential model, ability to verify that the entity offering the credentials is who/what it says it is.

2595  
2596  
2597  
2598  
2599

**Credential** – An item offered to prove that a user, a group, a software entity, a company, or other entities is who or what it claims to be.

*Examples: X.509 certificate, a user login and password pair, a PGP key, a response/challenge key, a fingerprint, a retinal scan, a photo id. (Obviously, some of these are better suited to software than others!)*

2600  
2601  
2602  
2603  
2604  
2605

**Credential Authority** – An entity that determines whether the credential offered is valid, and that the credential accurately identifies the individual offering it.

*Examples: An X.509 certificate can be validated by a certificate authority. At a bar, the bartender is the credential authority who determines whether your photo id represents you (he may then determine your access permissions to available beverages!).*

2606  
2607  
2608  
2609  
2610  
2611  
2612

**Credential model** – The particular mechanism(s) being used to provide and authenticate credentials.

**Code signing** – A particular case of digital signature (see below), where code is signed by the credentials of some entity. The purpose of code signing is to identify the source of the code, and to verify that the code has not been changed by another entity.

*Examples: Java code signing, DCOM object signing, checksum verification.*

2613  
2614  
2615  
2616  
2617

**Digital signature** – Using a credential model to indicate the source of some data, and to ensure that the data is unchanged since it was signed. Note: the word data is used very broadly here – it could be a string, software, voice stream, etc.

*Examples: S/MIME mail, PGP digital signing, IPSEC (authentication modes)*

2618  
2619  
2620  
2621

**Encryption** – The ability to transform data into a format that can only be restored by the holder of a particular credential. Used to prevent data from being observed by others.

*Examples: SSL, S/MIME mail, PGP digital signing, IPSEC (encryption modes)*

2622  
2623  
2624

**Identity** – A person, server, group, company, software program that can be uniquely identified. Identities can have credentials that identify them.

2625  
2626  
2627  
2628

**Lease** – An interval of time that some element, such as an identity or a credential is good for. Leases are very useful when you want to restrict the length of commitment. For example, you may issue a temporary credential to an agent that gives it 20 minutes in a given system, at which time the credential expires.

2629  
2630  
2631  
2632  
2633

**Policy** – Some set of actions that should be performed when a set of conditions is met. In the context of security, allow access permissions based on a valid credential that establishes an identity.

*Examples: If a credential for a particular user is presented, allow him to access a file. If a credential for a particular role is presented, allow the agent to run with a low priority.*

2634 **Role** – An identity that has an “group” quality. That is, the role does not uniquely identify an individual, or machine, or an  
2635 agent, but instead identifies the identity in a particular context: as a system manager, as a member of the entry order  
2636 group, as a high-performance calculation server, etc.

2637 *Examples: In various operating system groups, as applied to file system access. In Lotus Notes, the “role” concept.*  
2638 *X.509 certificate role attributes.*

2639  
2640 **Principal** – In the agent domain, the identity on whose behalf the agent is running. This may be a user, a group, a role  
2641 or another software entity.

2642 *Examples: A shopping agent’s principal is the user who launched it. An commodity trader agent’s principal is a financial*  
2643 *company. A network management agent’s principal is the role of system admin, or super-user. In a small “worker bee”*  
2644 *agent, the principal may be the delegated authority of the parent agent.*

2645



## 2646 12 Informative Annex E — ChangeLog

### 2647 12.1 2001/11/01 - version I by TC Architecture

2648	Entire document:	<b>directory-service</b> becomes <b>agent-directory-service</b>
2649	Entire document:	<b>directory-entry</b> becomes <b>agent-directory-entry</b>
2650	Entire document:	<b>locator</b> becomes <b>agent-locator</b>
2651	Entire document:	<b>Encoding-transform-service</b> becomes <b>encoding-service</b>
2652	Section 1, Paragraph 5:	Note added concerning availability of documents
2653	Section 1.1:	Annexes updated to include new ones
2654	Section 2.1:	Changed text of second bullet point
2655	Section 2.1:	Section descriptions updated to include new annexes
2656	Section 2.3, Paragraph 2:	Added complete paragraph
2657	Section 4.1, Paragraph 1:	Changed 2nd sentence changed to include <b>service-directory-service</b>
2658	Section 4.1, Paragraph 2:	First sentence added
2659	Section 4.2:	Added complete section
2660	Section 4.3:	Table updated to correct <b>agent-locator</b> description
2661	Section 4.3.1:	Changed section heading
2662	Section 4.3.2:	Changed section heading
2663	Section 4.4:	Added complete section
2664	Section 4.5, Paragraph 1:	Changed “fundamental aspects” to include message representation
2665	Section 4.5.1, Paragraph 1:	Replaced 3rd sentence
2666	Section 4.5.1, Figure 6:	Receiver (and <b>agent-name</b> for receiver) made plural
2667	Section 4.5.2:	Added complete section
2668	Section 4.5.3, Figure 7:	Receiver (and <b>agent-name</b> for receiver) made plural
2669	Section 5.1.5, Table 2:	Included Fully Qualified Name column for each element
2670	Section 5.1.5, Table 2:	Changed description of <b>encoding-service</b>
2671	Section 5.1.5, Table 2:	Changed <b>service</b> presence to be mandatory
2672	Section 5.1.5, Table 2:	Added <b>service-address</b>
2673	Section 5.1.5, Table 2:	Added <b>service-attributes</b>
2674	Section 5.1.5, Table 2:	Added <b>service-directory-service</b>
2675	Section 5.1.5, Table 2:	Added <b>service-directory-entry</b>
2676	Section 5.1.5, Table 2:	Added <b>service-id</b>
2677	Section 5.1.5, Table 2:	Added <b>service-location-description</b>
2678	Section 5.1.5, Table 2:	Added <b>service-locator</b>
2679	Section 5.1.5, Table 2:	Added <b>service-root</b>
2680	Section 5.1.5, Table 2:	Added <b>service-signature</b>
2681	Section 5.1.5, Table 2:	Added <b>service-type</b>
2682	Section 5.1.5, Table 2:	Added <b>signature-type</b>
2683	Section 5.1.5, Table 2:	Added <b>transport-specific-address</b>
2684	Section 5.2:	Added complete section
2685	Section 5.3:	Added complete section
2686	Section 5.4.2:	Removed first point
2687	Section 5.6.1, Paragraph 1:	Removed 2nd and 3rd sentence
2688	Section 5.6.1, Paragraph 1:	Added new 2nd sentence
2689	Section 5.6.1, Paragraph 2:	Removed
2690	Section 5.6.2:	Added new relationship
2691	Section 5.10.3:	Changed 1st sentence so that GUID now an example
2692	Section 5.11.1:	Changed 1st sentence to include <b>message</b> reference
2693	Section 5.11.1:	Moved 2nd and 3rd sentences to Section 5.11.3
2694	Section 5.11.1:	Added new 2nd sentence
2695	Section 5.11.2	Changed 2nd relationship to be more accurate.
2696	Section 5.11.3	Added complete section
2697	Section 5.13.1, Paragraph 1:	Changed 2nd sentence to include bit-efficient encoding

‡698	Section 5.13.1, Paragraph 1:	Added 3rd sentence
‡699	Section 5.13.1, Paragraph 2:	Removed
‡700	Section 5.13.2:	Changed 1st relationship
‡701	Section 5.13.2:	Removed 2nd, 3rd and 4th relationships
‡702	Section 5.13.2:	Added new 2nd relationship
‡703	Section 5.14.1:	Added 3rd sentence
‡704	Section 5.14.2:	Changed 2nd, 3rd and 4th relationship
‡705	Section 5.14.2:	Removed 5th relationship
‡706	Section 5.14.3.1	Changed section heading
‡707	Section 5.14.3.1. Paragraph 1:	Changed 1st and 2nd sentences
‡708	Section 5.14.3.1. Paragraph 2:	Changed 1st sentence
‡709	Section 5.14.3.1. Paragraph 3:	Added complete paragraph
‡710	Section 5.14.3.1:	Added 'invalid payload' explanation
‡711	Section 5.14.3:	Added new 2nd sentence
‡712	Section 5.14.3:	Deleted last 2 sentences
‡713	Section 5.16.1:	Added last sentence
‡714	Section 5.16.3:	Changed 1st to include <b>service-directory-service</b>
‡715	Section 5.17.1:	Added new 4th and last sentences
‡716	Section 5.17.1:	Added 'and ontologies' to 6th sentence
‡717	Section 5.17.3:	Updated final two relationships
‡718	Section 5.19.2:	Updated both relationships with respect to <b>ontologies</b>
‡719	Section 5.21.2:	Added three new relationships related to service model
‡720	Section 5.22:	Added complete section
‡721	Section 5.23:	Added complete section
‡722	Section 5.24:	Added complete section
‡723	Section 5.25:	Added complete section
‡724	Section 5.26:	Added complete section
‡725	Section 5.27:	Added complete section
‡726	Section 5.28:	Added complete section
‡727	Section 5.29:	Added complete section
‡728	Section 5.30:	Added complete section
‡729	Section 5.31:	Added complete section
‡730	Section 5.32:	Added complete section
‡731	Section 5.36:	Added complete section
‡732	Section 6.2, Figure 12:	Changed <b>message-encoding-representation</b> to <b>encoding-representation</b>
‡733	Section 6.2, Figure 12:	Changed <b>transform-service</b> to <b>encoding-service</b>
‡734	Section 6.2, Figure 12:	Changed role linking <b>payload</b> and <b>message</b>
‡735	Section 6.2, Figure 12:	Removed role linking <b>transport-message</b> and <b>encoding-representation</b>
‡736	Section 6.2, Figure 12:	Removed role linking <b>transport-message</b> and <b>encoding-service</b>
‡737	Section 6.2, Figure 12:	Removed <b>payload-external-attributes</b>
‡738	Section 6.2, Figure 12:	Added role linking <b>envelope</b> and <b>encoding-representation</b>
‡739	Section 6.3, Figure 13:	Changed role linking <b>agent-directory-service</b> and <b>agent-locator</b> from 'contains 1..n' to 'contain 1'
‡740		
‡741	Section 6.3, Figure 13:	Changed role linking <b>agent-locator</b> and <b>transport-description</b> from 'contains 1' to 'contain 1..n'
‡742		
‡743	Section 6.3, Figure 13:	Changed role linking transport-description and transport-type from "has a" to "contains 1"
‡744		
‡745	Section 6.4:	Added complete section
‡746	Section 6.5, Paragraph 1:	Added final two sentences
‡747	Section 6.5, Figure 15:	Changed role linking <b>message</b> and "communicative act" from 'contains 1..n' to 'is a'
‡748	Section 6.5, Figure 15:	Changed role linking "communicative act" and <b>content</b> from 'contains 1..n' to 'contains 1'
‡749		
‡750	Section 7:	Added reference for FIPA00095
‡751	Section 8:	Added complete section
‡752	Section 9:	Added complete section
‡753	Section 10:	Added word 'service' into section heading

2754 Section 13: Added complete section  
2755

## 2756 **12.2 2002/11/01 - version K by TC X2S**

2757 Entire document: All instances of **service-id** replaced with **service-name** for coherence with **agent-**  
2758 **name**

2759 Entiredocument: **Delete** action changed to **Deregister** for both **agent-directory-service** and **service-**  
2760 **directory-service**

2761 Entiredocument: **Query** action changed to **Search** for both **agent-directory-service** and **service-**  
2762 **directory-service**

2763 Section 5.23.3: Note that all actions of the **service-directory-service** are optional  
2764

## 2765 **12.3 2002/12/03 - version L by FIPA Architecture Board**

2766 Entire document: Promoted to Standard status  
2767