

This work is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License.

<http://creativecommons.org/licenses/by-sa/4.0/>

Semantic Reactive Microservices

Encodings

The whole idea revolves encoding 'roles' (Resource types) in an aggregated dimensional layered (data, schema, behavior) scheme via the use of 'kinds' abstraction.

Kinds abstraction:

sets / type inference. Given an statement SPO, for example the Subject, its 'subject kind' is the aggregation of all Predicate / Value pairs occurring in statements having that Subject. Subjects having a common set of this pairs are regarded as having the same 'kind'. Subset / superset relations between those pairs determine super / sub 'kind' relations.

If we only regard of Predicate occurrences for a common Subject we can have a very basic class / type inference also with a predicates subset / superset (class / superclass) relation. The same holds for 'predicate kinds' and 'object kinds'. A class could be, for example, Person and kinds (metaclass) of occurrences of this class could be: Employee, Father, etc.

Resources hierarchy (static CSPO roles):

(Statement : Entity) : Resource;

(Kind : Class) : Resource

(Flow : Behavior) : Resource

Resource hierarchy (CSPO instances):

Resolve by kinds type inference. Example: Kind: super / sub Kind, Class: super / sub class, etc.

Resource API:

Dataflow (Resource I/O, activation: observer / observable). Role type hierarchy and Resource type hierarchy.

Abstract Layers:

Dimensional ontology aggregated CSPO roles / statements. Resource layers maps / corresponds into this statements schema / forms for diverse augmentation (aggregation, alignment, activation) use cases.

(Dimension, Unit, Measure, Value);

(Context, Concept, Sign, Object);

(Context, Occurrence, Attribute, Value);

Resource Layers:

Hierarchically aggregated statement layers.

(Entity, Statement, Attribute, Value) : Data;

(Class, Kind, Statement, Entity) : Schema;

(Behavior, Flow, Kind, Class) : Behavior;

Upper ontology layer:

Statements aggregated from data, schema, behavior layers statements (used for Contexts I/O).

(Behavior, Class, Entity, Resource);

Resource encoding: (C, S, P, O) : Resource. Resource IDs.

Resource representation:

Render Resource in CSPO role in statement occurrence. C(S, P) : O.

Functional Forms:

Resource encoded code and data. Parse representations, apply transforms. Syntax (grammars, wrappers, monadic parsing).

Metaclass (behavior, role) / Class (schema) / Instance (data).

Event (definition): measure value change in dimension for unit.

Activation:

Resource I/O events stream (quads). Materialize new / inferred knowledge, emit known facts regarding event.

Contexts

Resource wrapper:

Aggregated internal layered (data, schema, behavior) quad statement sets. Behaves as a data, schema or behavior layer via activation composition (Resource I/O).

Interacts (I/O activation) via upper ontology layer aggregated form facade statements:

(Behavior, Class, Entity, Resource).

Resource IDs / namespace handler.

Index, Naming, Registry facades.

Addressing / annotation (augmentation) resolution of external resources. JAF.

Augmentation: Aggregation, Alignments, Activation.

Reactive streams: events, locators, filters, transforms, queries, aggregation, getters / setters, joins, etc.

Functional Forms: code / data stated as resources. System resources. Bound functions / transforms.

Layered aggregated contexts stack:
(Context (Application (Domain (Data))))

Functional Forms: Browse layered aggregated context (render services / applications).

Layers integration: dimensional resources 'overlay' interacting via activation of upper ontology layer aggregated form statements.

Data contexts: data, schema, behavior aggregated I/O from plain RDFized (Resource IDs) inputs.

Domain contexts: data, schema, behavior aggregated I/O from Data contexts aggregated upper ontology.

Application contexts: data, schema, behavior aggregated I/O from Domain contexts aggregated upper ontology.

Resource IDs

The idea is to achieve a (numbering) identification scheme which allows to encode and identify RDF statements CSPOs URLs (and the URLs referring to the statements themselves) in a manner which:

- a) Allows to 'embedd' meaning in an algorithmically 'operable' way.
- b) Enforces preservation of 'validity' between identifiers (no non-valid identifiers could be forged)

In base to the abstract layer (semiotic) statement form:
(Context, Concept, Sign, Object);

The idea is that (in theory) using a positional ternary numbering system with a cyclic order relation ($a > b > c < a$) CSPO IDs could be validated against:

$C > S < P < O$

For any given statement IDs arrangement.

Primitives:

self > this > that < the

Alignments:

X is Y of Z in W;

$C(S, P) : O$;

ML Embeddings.

Functional Forms

Functional code / data serialization format / language expressed in terms of Resource statements.

TID: Statement Context ID.

VID: Statement Subject (Occurrence) ID.

Form:

$(TID:VID (TID:VID (TID:VID))) : TID:VID$

$(Behavior (Schema (Data))) : Dimensional (abstract)$;

Assertion / query language. Activation.

Algorithm resolves over Behavior, Schema, Data attributes / values.

Dataflow activations: candidates for resolution (signatures / injection).

Specific system forms (augmentation bound functions).

DOM / LINQ like APIs.

ML Embeddings.

Features

DCI: Data, Context, Interaction.

$(Context, Interaction, Data:role, Data:state)$;

Data (event), Information (flow), Knowledge (rule: context, role, state flow).

Type inference: Entity, Statement, Kind, Class, Flow, Behavior. Functional Form syntax, upper ontology.

Dataflow graphs: dynamic 'routes' (Resource stream observer / observable) 'signatures' (activation matching: resolution / injection). Aggregation (layers), composition (contexts), discovery.

Augmentation (ML / Type inf. / Dataflow):

Aggregation

Alignment

Activation

Alignments:

Class / ID

Attributes / Links

Contexts / Roles

RDF / OWL Backend.