
Open UI Overview CSSWG July 2020




Edge & Chrome form control collaboration

Accessibility, Touch, & Visual Refresh






Why do you re-create them?




Top 10 form controls re-created by web developers




Source: gwhitworth.com

Which control frustrates you the most?



No keyboard support

Alexa Rank: 1,247



No keyboard or AT support

Rank: 454



Not focusable via Keyboard

Alexa Rank: 96

Not focusable via Keyboard nor AT Support

Alexa Rank: 1,293
















Control: a type of component that allows some form of user interaction. The control has controller code that manages the transition of the component's states and the model based on end user interaction with the defined parts.

Control: a type of component that allows some form of user interaction. The control has controller code that manages the transition of the component's states and the model based on end user interaction with the defined parts.







Suggested Contacts



Annie Lindqvist Designer



Aaron Reid Designer



Alex Lundberg Software Developer



Roko Kolar Financial Analyst



Christian Bergqvist Sr. Designer



Anatomy

Diagram

✓ Show slots

```
button-container [slot]
    button
         selected-value [slot]
              selected-value
                                                             Currently selected value
listbox-container [slot]
    listbox
         [slot]
              optgroup
                  option
```

part listbox

Event	Behavior	Impacts
keydown(down	Moves focus to the next <option> in the listbox</option>	focus
keydown(up key)	Moves focus to the previous <option> in the listbox</option>	focus
keydown(enter)	Changes the selected state of the current <option> and updates the <select> value property</select></option>	selected prop value prop
keydown(space)	Changes the selected state of the current <option> and updates the <select> value property</select></option>	selected prop value prop
keydown(enter)	If the <select> does not have the multiple attribute then toggle the state of open on the <select></select></select>	open state
keydown(enter)	If the <select> does not have the multiple attribute then toggle the aria-expanded attribute on the button part</select>	aria-expanded attr
keydown(space)	If the <select> does not have the multiple attribute then toggle the state of open on the <select></select></select>	open state
	If the <select> does not have the multiple attribute then toggle the aria-expanded</select>	aria-expanded

<div slot="button-container" part="button" tabindex="0"
aria-haspopup="listbox" aria-expanded="false" role="button">

Demo of component MVC model

Resources

HTML isn't done Chrome Dev Summit talk

Enabling Custom UI Control Explainer

Form control survey results

Can we please style the <select> - blog post

<select> survey results

Improving form controls in Microsoft Edge & Chromium